Quiz 8

Answer the questions in the spaces provided. If you run out of room for an answer, continue on the back of the page.	Question:	1	2	3	Total
	Points:	10	15	0	25
	Score:				

Name:

1. (10 points) The energy change of a system with a single component can be expressed as

$$dU = T \, dS - p \, dV + \mu \, dN \tag{1}$$

where each of the variables T, p, and μ are partial derivatives of the internal energy U of the system. What are the partial derivative expressions for these three variables?

T=	
-p =	
$\mu =$	

- 2. Suppose we have a system with two parts A and B with fixed volume and number that are brought into thermal contact. The system is isolated from its surroundings, energy is allowed to flow between the two parts, but the parts are otherwise separated.
 - (a) (5 points) What do we know about the change in the internal energy dU of the system as it approaches equilibrium? Please circle one.

$$\mathrm{d} U < 0 \qquad \mathrm{d} U \leq 0 \qquad \mathrm{d} U = 0 \qquad \mathrm{d} U \geq 0 \qquad \mathrm{d} U > 0$$

(b) (5 points) What do we know about the change in the entropy dS of the system as it approaches equilibrium? Please circle one.

$$\mathrm{d}S < 0 \qquad \mathrm{d}S \leq 0 \qquad \mathrm{d}S = 0 \qquad \mathrm{d}S \geq 0 \qquad \mathrm{d}S > 0$$

(c) (5 points) The relationship between what two variables will tell us which direction energy will flow? Please circle one.

 p_A, p_B V_A, V_B μ_A, μ_B N_A, N_B T_A, T_B U_A, U_B S_A, S_B

3. For fun if you finish early: Because U is a first order homogenous function, we showed in class that

$$U = TS - pV + \sum_{i} \mu_i N_i.$$
⁽²⁾

Take the total derivative of this function to derive the Gibbs-Duhem equation:

$$0 = S \,\mathrm{d}T - V \,\mathrm{d}p + \sum_{i} N_i \,\mathrm{d}\mu_i. \tag{3}$$