

SYMBIOSIS Vol. 40, No. 2 (2005)

CONTENTS

- 61 *Ascophyllum* (Phaeophyceae) and its symbionts. IX. A novel symbiosis between *Halocladius variabilis* (Chironomidae, Insecta) and *Elachista fucicola* (Elachistaceae, Phaeophyceae) from marine rocky shores of Nova Scotia by D.J. Garbary, M.M. Jamieson, S.J. Fraser, C.A. Ferguson, and P.S. Cranston (Antigonish, Nova Scotia, Canada and Davis, CA, USA)
- 69 Variability in symbiotic nitrogen fixation among white landraces of common bean from the Iberian peninsula by A.P. Rodiño, M. Santalla, A.M. De Ron, and J.J. Drevon (Pontevedra, Spain and Montpellier, France)
- 79 Identifying suitable arable weeds as reference plants for measuring N₂ fixation in grain legumes in Zambia using ¹⁵N natural abundance by R.C. Nyemba and F.D. Dakora (Lusaka, Zambia and Cape Town, South Africa)
- 87 The inoculation with *Oidiodendron maius* and *Phialocephala fortinii* alters phosphorus and nitrogen uptake, foliar C:N ratio and root biomass distribution in *Rhododendron* cv. Azurro by M. Vohník, J. Albrechtová, and M. Vosátka (Pruhonice and Prague, Czech Republic)
- 97 Physiological diversity of rhizobia nodulating promiscuous soyabean in Zimbabwean soils by K. Musiyiwa, S. Mpepereki, and K.E. Giller (Harare and Chinhoyi, Zimbabwe, and Wageningen, The Netherlands)
- 109 Growth performance and nodulation response of *Acacia mangium* co-inoculated with *Bradyrhizobium* sp. and *Pisolithus tinctorius* by P. Jayakumar and T.K. Tan (Singapore and Swift Current, Saskatchewan, Canada)
- 115 Forthcoming events
117 Announcements

Cover photo: Portion of single frond of *Ascophyllum nodosum* with numerous plants of *Elachista fucicola* epiphytic on upper portions of branches. Photo courtesy of D.J. Garbary et al. (pp. 61–68).