

# A Theory of Strategic Voting in Runoff Elections\*

Laurent Bouton<sup>†</sup>

Boston University

February 2012

## Abstract

This paper analyzes the properties of runoff electoral systems when voters are strategic. A model of three-candidate runoff elections is presented, and two new features are included: the risk of upset victory in the second round is endogenous, and many types of runoff systems are considered. Three main results emerge. First, runoff elections produce equilibria in which only two candidates receive a positive fraction of the votes. Second, a sincere voting equilibrium does not always exist. Finally, runoff systems with a threshold below 50% produce an *Ortega effect* that may lead to the systematic victory of the Condorcet loser.

**JEL Classification:** C72, D72

**Keywords:** Runoff Elections, Duverger's Law and Hypothesis, Condorcet Loser, Poisson Games

---

\*I thank the co-editor and three anonymous referees. I also thank David Ahn, Elena Arias Ortiz, Ethan Bueno de Mesquita, Micael Castanheira, Paola Conconi, Andrew Ellis, Sambuddha Ghosh, Gabriele Gratton, Georg Kirchsteiger, Wolfgang Pesendorfer, Frédéric Malherbe, John Morgan, Roger Myerson and Thomas Piketty as well as my colleagues at BU for insightful comments. I also benefitted from the comments of the audiences at Brown University, ECARES, Ecole Polytechnique, Georgetown University, Harvard/MIT, London Business School, NYU, Princeton University, Universidad Autonoma de Barcelona, UC Berkeley, Universidad Carlos 3, University of Connecticut, Université de Montreal, the ECORE Summer School on Market Evolution and Public Decision, the SED Conference on Economic Design, the Midwest Economic Theory Meeting, and the Econometric Society North American Winter Meeting. All remaining errors are mine.

<sup>†</sup>E-mail: lbouton@bu.edu. Mailing address: Boston University, Dept. of Economics, 270 Bay State Road, Boston, MA 02215.

# 1 Introduction

In a runoff election, the candidate with the greatest number of votes wins outright in the first round if she obtains more than a predefined fraction of the votes (called the *threshold for first-round victory*). If no candidate wins in the first round, then a second round is held between the two candidates with the most first-round votes. The winner of that round wins the election.

The runoff electoral system is the single most used electoral system for presidential elections: 61 out of 91 countries that directly elect a president have a runoff provision (Blais et al. 1997) – France being a notorious example. Moreover, its popularity has continued to rise over the past decades: about 70% of the presidential elections held in the 90s were runoff elections, compared to only 30% in the 60s (Golder 2005). The widespread use of the runoff system is also striking in the U.S.: runoff primaries are a trademark in southern states, and most large American cities have a runoff provision (Bullock III and Johnson 1992, Engstrom and Engstrom 2008).<sup>1</sup>

The perceived rationale for the worldwide use of runoff systems is twofold: first, runoff elections are expected to be more conducive to preference and information revelation than plurality elections and, second, they are claimed to prevent the victory of minority candidates.<sup>2</sup> Yet, despite the relative ubiquity of runoff systems, our understanding of their properties and of voters' behavior is limited and mostly informal. The few formal models of runoff elections leave important features aside (Cox 1997 and Martinelli 2002). In this paper, I propose a new model of three-candidate runoff elections which challenges the conventional wisdom in several important ways.

My model includes two new features. First, voters perceived that all candidates participating in the second round have a positive (and endogenous) probability of winning. This contrasts with previous models, which assumed no risk of upset victory in the second round. I obtain this feature by relaxing the constraint that the voters participating in the

---

<sup>1</sup>Actually, the U.S. presidential electoral system is a runoff system: if no candidate receives a majority of the electoral votes, the House of Representatives chooses the President among the top three contenders.

<sup>2</sup>The latter rationale can be found in the literature in a slightly different form. In particular, it is often argued that runoff electoral systems should be used because they guarantee that the elected president has a mandate of a large part of the population. This is intended to legitimate her position once elected.

two rounds are necessarily the same (for empirical evidence that the two electorates do differ, see Wright 1989, Bullock III and Johnson 1992, Morton and Rietz 2006). Second, my model allows for the analysis of many different types of runoff systems: any threshold for first round victory between 0% and 100%, as well as more sophisticated rules (moving thresholds and victory margin requirements). In practice, thresholds below 50% are far from exceptional. For instance, the threshold is 40% in Costa Rica, North Carolina State and New York City. Some countries use sophisticated thresholds: in Argentina, for example, a candidate wins outright if she gains 45% of the votes or if she gains 40% of the votes as well as 10% more than the runner-up.<sup>3</sup>

Three main results emerge. First, runoff elections produce multiple *Duverger's Law equilibria* – that is, equilibria in which only two candidates receive votes in the first round. In those, some voters abandon their most preferred candidate and vote to ensure the outright victory of a strong candidate. They do so to avoid the risk of an upset victory by a less-preferred candidate in the second round. In at least one Duverger's Law equilibrium, the Condorcet winner<sup>4</sup> does not receive any votes.

The second main result is that the sincere voting equilibrium – that is, the equilibrium in which all voters vote for their most preferred candidate in the first round – does not always exist. The reason is the same as the one explaining the existence of Duverger's Law equilibria. Together, these two first results prove that the Duverger's Law equilibria may be the only (pure strategy) equilibria in runoff elections.

The third main result is that runoff elections with a threshold below 50% may produce an equilibrium that allows the outright victory of the Condorcet loser in the first round.<sup>5</sup> This happens precisely because a sincere voting equilibrium exists for some distributions of voter preferences. The Condorcet loser could instead be beaten if a sufficiently large coalition of voters deviated and coordinated their votes on one of the trailing candidates. This excessive vote dispersion happens because, conditional on being pivotal, voters overestimate the likelihood that a second round will be held. They thus vote for their preferred

---

<sup>3</sup>Thresholds above 50% are more rare: the only case I am aware of is the 1996 presidential election in Sierra Leone, for which the threshold was defined at 55%.

<sup>4</sup>The Condorcet winner is a candidate that would win a one to one contest against any other candidate.

<sup>5</sup>The Condorcet loser is a candidate that would lose a one to one contest against any other candidate.

candidate to qualify her for the second round. I call this the *Ortega effect*, after Daniel Ortega, the winner of the 2006 Presidential election in Nicaragua. By contrast, the Ortega effect does not exist in plurality elections since there is no second round. Actually, in plurality elections, there is no (expectationally stable) equilibrium in which the Condorcet loser is the only likely winner (Fey 1997 and section 4.2.4 in this paper).

Together, these results form a twofold contradiction of the conventional wisdom regarding runoff systems. First, it is commonly believed that runoff elections are more conducive to preferences and information revelation than plurality (Duverger 1954, Riker 1982, Cox 1997, Piketty 2000, Martinelli 2002). As stated by Duverger in his well-known Law and Hypothesis, respectively: “*the simple-majority single-ballot system* [the plurality electoral system] *favors the two-party systems*” whereas the “*simple majority with a second ballot* [the runoff electoral system] *favors multipartyism*”. His intuition is that the voters’ incentives to abandon their most preferred candidate and rally behind a serious candidate are more powerful in plurality than in runoff elections. Indeed, there should only be two serious candidates in plurality elections (those who have a serious chance to tie for victory), whereas there should be three serious candidates for the second round. The existence of Duverger’s Law equilibria in runoff elections contradicts this belief and, therefore, Duverger’s Hypothesis.<sup>6,7</sup>

Second, the choice of a threshold level has traditionally been based on a perceived trade-off between costs of organization and the risk of a minority candidate victory.<sup>8</sup>

---

<sup>6</sup>A spatial model of electoral competition with sincere voters and strategic candidates may produce Duverger’s Law like equilibria in which only two candidates enter the race (Osborne and Slivinsky 1996, Callander 2005). Callander (2005) also shows that the introduction of a runoff system in a race with multiple candidates is unlikely to trigger a switch toward a two-candidate race. My results are complementary: first, I show that strategic candidates are not necessary for Duverger’s Law equilibria to arise. Second, I show that strategic voters might trigger a switch toward a Duverger’s Law outcome: with strategic voters, even if there are three candidates in the running, it is possible that only two of them receive votes. My results thus suggest that strategic voters are crucial to explain switches of multiparty systems into two-party systems.

<sup>7</sup>Morton and Rietz (2006) mention the existence of Duverger’s Law equilibria in runoff elections with 50%-threshold when voters are strategic. Yet, they do not identify the conditions of existence of the Duverger’s Law equilibria, nor do they prove that the Duverger’s Law equilibria may be the only pure strategy equilibria.

<sup>8</sup>Many governments have indeed adopted runoff provisions in response to such a victory (see e.g. Bullock III and Johnson 1992 and O’Neil 2007).

This trade-off arises mechanically when voters are not strategic: higher thresholds reduce the risk of a minority candidate winning but increase the expected costs of organization since the likelihood of an outright victory in the first round is lower. For lower values of the threshold, the converse holds. On the basis of this perceived trade-off, it has been argued that lower-than-50% thresholds are desirable: they represent a compromise between plurality and runoff with a threshold at 50%. Indeed, they allow for better revelation of preferences but prevent “useless” second rounds in which the candidate who ranks first in the first round eventually wins the election in the second round (Shugart and Taagepera 1994, O’Neil 2007).<sup>9</sup> This perceived trade-off does not exist when strategic voters are taken into account. Indeed, the Ortega effect that I identify for runoff elections with a threshold below 50% implies that intermediate values of the threshold may actually increase the risk of a minority candidate victory with respect to plurality elections.

My model of three-candidate runoff elections allows voters to have any possible preference ordering over candidates (i.e. there are up to twelve types of voters).<sup>10</sup> However, for the sake of expositional clarity, I present the main results using a stylized version of the model in which there are three types of voters and a divided majority facing a unified minority. All majority voters prefer either candidate *A* or candidate *B* to a third candidate, *C*, but they are divided as to whether *A* or *B* is preferable. The minority is instead unified behind candidate *C*.<sup>11</sup> I then extend the main results to the general model with more types of voters.

These theoretical findings are empirically relevant. First, my result that runoff elections produce multiple equilibria featuring different number of candidates receiving a positive fraction of the votes sheds new light on the mixed empirical evidence vis-à-vis Duverger’s Law and Hypothesis. There is evidence supporting Duverger’s argument

---

<sup>9</sup>This happens regularly. For instance, Bullock III and Johnson (1992) report empirical evidence on U.S. data according to which the election winner corresponds to the first-round winner approximately 70% of the times.

<sup>10</sup>Including voters who are indifferent between their second and least preferred candidates is an easy way to capture the behavior of partisan voters.

<sup>11</sup>This particular class of situations – that is, the problem of the “divided majority” – merits study in and of itself, as it captures the essence of coordination problems in multicandidate elections. This issue is often considered in the literature on electoral systems. It is, for instance, at the heart of Borda (1781)’s demonstration that plurality may fail to aggregate preferences. See also Myerson and Weber (1993), Piketty (2000), Myerson (2002), Martinelli (2002), Dewan and Myatt (2007), and Myatt (2007).

(Wright and Riker 1989, Golder 2006, Clark and Golder 2006, Goncalves et al. 2008, Fujiwara 2011), but the numerous counterexamples have remained puzzling (e.g. Shugart and Taagepera 1994).<sup>12</sup> Moreover, there is systematic evidence against Duverger’s argument: Cox (1997) finds no statistically significant effect of the runoff system on the effective number of presidential candidates in 16 democracies in the 80s. Similarly, Engstrom and Engstrom (2008) find that the mean effective number of candidates for gubernatorial and senatorial U.S. primary elections (between 1980 and 2002) with runoff provision is notably below three and not significantly different from the mean effective number of candidates with plurality rule. My result that Duverger’s Law equilibria exist in runoff elections helps to make sense of these outcomes.<sup>13</sup>

Second, the puzzling result of the 2006 presidential election in Nicaragua (see Lean 2006) may be reinterpreted in light of the Ortega effect. In this election, right-wing voters formed a majority of the electorate but were divided between two candidates: Eduardo Montealegre (Alianza Liberal Nicaraguense) and José Rizo (Partido Liberal Constitucionalista). There was only a minority of left-wing voters, but they staunchly supported the sole serious contender: Daniel Ortega (Frente Sandinista de Liberacion Nacional). In other words, Ortega was the Condorcet loser of this election. Nicaragua’s presidential electoral system is a runoff where a candidate wins outright if she obtains more than 40% of the votes or more than 35% of the vote and a victory margin over the nearest competitor of 5%. Before the election, polls indicated that, due to a division among right-wing voters, Ortega would win outright. Despite this information, right-wing voters persisted in dividing their votes and Ortega won the presidential race with 38% (Montealegre and Rizo obtained 28.3% and 27.1%, respectively). According to traditional models, this result was due to a non-rational reaction of right-wing voters who should not have divided their votes. My results instead demonstrate that not only it was individually rational for right-wing voters to behave in this way, but also that this equilibrium is expectationally stable. That is, it would take deviation by a large group of voters to trigger an equilibrium

---

<sup>12</sup>Shugart and Taagepera (1994) find many instances in which the effective number of candidates in presidential runoff elections is less than three (e.g. Chile 1989, Portugal 1976-1986 and Costa Rica 1953-1986).

<sup>13</sup>The presence of sincere/partisan voters may also help to explain this empirical puzzle. Yet, this would require the following, arguably unlikely, pattern of distribution of preferences: even in races with many candidates, two of them must monopolize the first rank in the preference ordering of most voters.

switch towards coordination.

The rest of the paper is organized as follows: Section 2 lays out the setup. Section 3 details how voters decide for whom to vote. Section 4 analyzes equilibrium behavior in runoff elections. Section 5 discusses the assumption about how the two groups of voters differ. Section 6 extends the analysis to runoff elections with victory margin requirements. Section 7 concludes. Proofs are relegated to the appendix.

## 2 Setup

This section describes a new model of runoff elections with a Poisson distribution of voters.<sup>14</sup> There are three candidates,  $\{A, B, C\}$ , and twelve types of voters

$$t \in T = \{t_{AB}, t'_{AB}, t''_{AB}, t_{AC}, t'_{AC}, t_{BA}, t''_{BA}, t_{BC}, t'_{BC}, t_{CA}, t''_{CA}, t_{CB}\}.$$

I denote the utility of a type- $t$  voter by the function  $U(W|t)$ , where  $W$  is the candidate winning the election. Thus, voters do not directly derive a benefit from the ballot they cast: they are instrumental. The twelve types of voters allow for the representation of every possible preference ordering over the three candidates (except for global indifference). I explicitly define the preference ordering of three types of voters:

$$\begin{aligned} U(A|t_{AB}) &> U(B|t_{AB}) > U(C|t_{AB}), \\ U(A|t'_{AB}) &= U(B|t'_{AB}) > U(C|t'_{AB}), \text{ and} \\ U(A|t''_{AB}) &> U(B|t''_{AB}) = U(C|t''_{AB}). \end{aligned} \tag{1}$$

There is no confusion about the preferences of the other types.

A runoff election works as follows. In the first round ( $\rho = 1$ ), each voter either casts a ballot in favor of one of the candidates or abstains. The action set of the voters is denoted by  $\Psi^1 = \{A, B, C, \emptyset\}$ . If the candidate who ranks first obtains more than a pre-defined fraction,  $\zeta$ , of the votes (called the *threshold for first-round victory*), she wins outright and there is no second round.<sup>15</sup> A second round is held if no candidate passes the

---

<sup>14</sup>The results do not depend on the assumption of a Poisson distribution of voters. In particular, results hold if the size of the population is known and fixed. Proof available upon request.

<sup>15</sup>In Section 6, I show that the results hold when first-round victory requires a victory margin over the second-ranked candidate.

threshold for first-round victory. In the second round ( $\rho = 2$ ), each voter either casts a ballot in favor of one of the participating candidates or abstains. In this round, however, not all candidates participate: only the two candidates who received the most votes in the first round (called the top-two candidates) are included. The action set of the voters is denoted by  $\Psi^2 = \{P, Q, \emptyset\}$ , where  $P$  and  $Q$  refer to the candidates who ranked first and second in the first round, respectively. The candidate who obtains the most votes in this round wins the election. To lighten notation, I assume without loss of generality that ties are resolved by alphabetical order:  $A$  wins over both  $B$  and  $C$ ,  $B$  wins over  $C$ .<sup>16</sup>

In a three-candidate setup, a runoff electoral system with a threshold below  $\frac{1}{3}$  is equivalent to the plurality electoral system (a.k.a. *first-past-the-post*). Since at least one candidate receives  $\frac{1}{3}$  or more of the votes, a second round is never held: the first round always determines a winner. Therefore, I only consider runoff electoral systems with a threshold  $\zeta \geq \frac{1}{3}$ .<sup>17</sup>

I conduct the analysis under the assumption that the size of the electorate,  $l$ , is distributed according to a Poisson distribution of mean  $n$ :  $l \sim P(n)$  (see Appendix A1 for a summary of important properties of Poisson games). Each voter is assigned a type  $t$  by i.i.d. draws. The probability that a randomly drawn voter is assigned type  $t$  is  $r(t)$ , with  $\sum_{t \in T} r(t) = 1$ . These probabilities are common knowledge.

In runoff elections, voters participating in the first round may differ from those participating in the second round (Wright 1989, Bullock III and Johnson 1992, Morton and Rietz 2006). First-round voters may not return to the ballot in the second round for a variety of reasons (e.g. business or private appointment, sickness or accident).<sup>18</sup> Some individuals may participate only in the second round. Therefore, even after observing the first round results, the distribution of preferences in the electorate remains uncertain. This feature of runoff elections must be included in the model. Indeed, as I will show, voter behavior is dramatically affected by the precision of information regarding the distribution of preferences in the electorate, as conveyed by the first-round outcome.

---

<sup>16</sup>Results hold if I assume that ties are resolved by the toss of a fair coin.

<sup>17</sup>For details about voters behavior in multicandidate plurality elections, see Myerson and Weber (1993) and Fey (1997).

<sup>18</sup>Endogenous abstention is outside the scope of this paper.

Ideally, the model should include three groups of voters: those participating (i) only in the first round, (ii) only in the second round, and (iii) in both rounds. However, excluding voters of group (iii) greatly simplifies the analysis. Therefore, in my model none of the first-round voters participate in the second round, and vice versa. I assume that there is a (complete) new draw of voters between the two rounds. The expected size of the electorate,  $n^\rho$ , and the probabilities of the different types,  $r^\rho(t)$ , remain the same in both rounds (that is, there is no Bayesian updating). In section 5, I discuss this assumption and show that it is not necessary for the main results to hold. It is sufficient that some uncertainty regarding the distribution of preferences in the electorate remains after the first round. The particular structure of this uncertainty is irrelevant.<sup>19</sup>

Strategies for first round voters as well as for second round voters must be defined. In the first round, a type  $t$ 's strategy is a mapping  $\sigma^1 : T \rightarrow \Delta \{A, B, C, \emptyset\}$  that specifies a probability distribution over the set of actions in round  $\rho = 1$ . In the second round, a type  $t$ 's strategy is a mapping  $\sigma^2 : T \times \{\{A, B\}, \{A, C\}, \{B, C\}\} \rightarrow \Delta \{A, B, C, \emptyset\}$  such that  $\text{supp}\{\sigma^2(t, \{P, Q\})\} = \{P, Q, \emptyset\}$ , which specifies a probability distribution over the set of actions in round  $\rho = 2$  (it depends on which candidates are participating in the second round). For the sake of readability, I henceforth omit  $\{P, Q\}$  from the notation  $\sigma^2(t, \{P, Q\})$ . Given the strategy  $\sigma^\rho$ , a fraction

$$\tau_\psi^\rho(\sigma^\rho) = \sum_t r(t) \sigma^\rho(\psi|t) \quad (2)$$

of the electorate is expected to play action  $\psi$  in round  $\rho$ . I call  $\tau_\psi^\rho(\sigma^\rho)$  the *expected share of voters* who choose action  $\psi$  in round  $\rho$  given the strategy  $\sigma^\rho$ .

The number of players who choose action  $\psi$  in round  $\rho$  is denoted by  $x_\psi^\rho$ , where  $\psi \in \Psi^\rho$ . This number is random (voters do not observe it before going to the polls) and its distribution depends on the strategy, through  $\tau_\psi^\rho(\sigma^\rho)$ . The expected number of votes in favor of  $\psi$  in round  $\rho$  is therefore:

$$\mathbf{E} [x_\psi^\rho | \sigma^\rho] = \tau_\psi^\rho(\sigma^\rho) \cdot n.$$

For the sake of readability, I henceforth omit  $\sigma^\rho$  from the notation.

---

<sup>19</sup>Note that having a different electorate in each round is not necessary for the results to hold. It is indeed sufficient that voters discount the future a bit or perceive a cost to organizing a second round, or any other force that makes them prefer that a candidate wins in the first rather than in the second round.

Given the intrinsic properties of population uncertainty, the equilibrium mapping  $\sigma(t)$  is identical for all voters of a same type  $t$  (see Myerson 1998, p377, for more detail).<sup>20</sup> Therefore, for this voting game, I analyze the limiting properties of sequences of symmetric (weak) perfect Bayesian equilibria when the expected population size  $n$  becomes infinitely large.<sup>21</sup>

### 3 Pivot Probabilities and Payoffs in Runoff Elections

Since voters are instrumental, their behavior depends on the probability that a ballot affects the final outcome of the elections, i.e. its probability of being pivotal. In runoff elections, a ballot may be pivotal in both rounds. This section identifies all the pivotal events. Their probabilities are derived in Appendix A1 (which summarizes the properties of Poisson games and applies them to runoff elections). Then, I compute voters' expected payoffs of the different actions in the two rounds. Both subsections start with the analysis of the second round.

#### 3.1 Pivot Probabilities

##### 3.1.1 Second Round

In a second round opposing  $P$  to  $Q$ , a ballot can change the outcome of the election in two ways: from a victory of  $P$  to a victory of  $Q$ , and vice versa. Suppose that  $P \in \{A, B, C\}$  ranks before  $Q \in \{A, B, C\}/P$ . A ballot is pivotal between  $P$  and  $Q$  in the second round if an additional ballot in favor of  $P$  allows her to win instead of  $Q$ . This event, denoted  $piv_{PQ}^2$ , happens when  $P$  trails behind  $Q$  by exactly one vote: an additional ballot in favor of  $P$  leads to a tie between  $P$  and  $Q$  and thus to the victory of the former (since ties are broken alphabetically). Similarly, a ballot is pivotal between  $Q$  and  $P$  in the second round if an additional ballot in favor of  $Q$  allows her to win instead of  $P$ . This event, denoted  $piv_{QP}^2$ , happens when  $P$  and  $Q$  obtain exactly the same number of votes: an additional

---

<sup>20</sup>Indeed, types can always be redefined such that different types of voters have the same preferences.

<sup>21</sup>This does not mean that the identified properties of runoff elections only hold for infinitely large electorates. It means that there is always an  $n$  sufficiently large (but potentially small) such that runoff electoral systems feature the identified properties.

ballot in favor of  $Q$  breaks the tie with  $P$  and ensures the victory of  $Q$ .

### 3.1.2 First Round

The first round influences the final result either directly (if one candidate wins outright) or indirectly (through the identity of the candidates participating in the second round).

Due to the alphabetical order tie-breaking rule, the precise conditions for the pivotal events actually depend on the alphabetical order of the candidates. Yet, I define the different pivotal events for any candidates  $i, j, k \in \{A, B, C\}$  and  $i \neq j \neq k$ , abstracting from the candidates' alphabetical order. These conditions are thus necessarily loose.<sup>22</sup>

A ballot can affect the outcome of the election directly in two ways. First, a ballot is *threshold pivotal  $i/ij$* , denoted  $piv_{i/ij}^1$ , if candidate  $i$  lacks one vote (or less) to pass the threshold for first-round victory and the other candidates are all below that threshold. Thus, with one additional vote,  $i$  wins outright. Without an additional vote in favor of  $i$ , a second round opposing  $i$  to  $j$  is held. Symmetrically, the threshold pivotability  $ij/i$ , denoted  $piv_{ij/i}^1$ , refers to an event in which any ballot against candidate  $i$ , i.e. in favor of either  $j$  or  $k$ , prevents an outright victory of  $i$  in the first round and ensures that a second round opposing  $i$  to  $j$  is held.

Second, a ballot is *above-threshold pivotal  $i/j$* , denoted  $piv_{i/j}^1$ , if candidates  $i$  and  $j$  have (almost) the same number of votes and are both above the threshold. An additional vote in favor of candidate  $i$  allows her to win outright in the first round, but, without any other ballot in favor of  $i$ , candidate  $j$  wins outright. Since two candidates cannot simultaneously obtain more than 50% of the votes, the above threshold pivotability is possible if and only if the threshold is below 50%.

A ballot may also affect the final outcome if it changes the identity of the two candidates participating in the second round. This happens when a ballot changes the identity of the candidate who ranks third in the first round. A ballot is *second-rank pivotal  $ki/kj$*  when candidate  $k$  ranks first and candidates  $i$  and  $j$  tie for second place. An additional

---

<sup>22</sup>In the third column of Table 1, depending on the candidates alphabetical order: (i) the conditions might feature weak inequality signs instead of strict ones or conversely, and (ii) the minus 1 might not be there. As explained in Appendix A1, such small approximations in the definition of the pivotal events do not matter for the computation of magnitudes.

vote in favor of candidate  $i$  allows her, instead of  $j$ , to participate in the second round with  $k$ .

Table 1 below summarizes the different first-round pivotal events that influence the first-round voting behavior.<sup>23</sup>

**Table 1:** first-round pivotal events.

Event	Notation	Condition
Threshold pivotal $i/ij$	$piv_{i/ij}^1$	$x_i^1 + 1 - \zeta > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$
Threshold pivotal $ij/i$	$piv_{ij/i}^1$	$\zeta (x_i^1 + x_j^1 + x_k^1 + 1) \geq x_i^1 > \zeta (x_i^1 + x_j^1 + x_k^1) > x_j^1$ $x_i^1 \geq x_j^1 \geq x_k^1$
Above-threshold pivotal $i/j$	$piv_{i/j}^1$	$x_i^1 = x_j^1 - 1 \geq \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_k^1$
Second-rank pivotal $ki/kj$	$piv_{ki/kj}^1$	$x_i^1 = x_j^1 - 1$ $\zeta (x_i^1 + x_j^1 + x_k^1) \geq x_k^1 > x_j^1$

## 3.2 Payoffs

The value of each ballot, and thus voters' behavior, depends on its probability of being pivotal. In the first round, it also depends on voters' expectations about the outcome of the second round.

### 3.2.1 Second Round

Let  $G^2(\psi|t)$  denote the *expected gain* of playing action  $\psi \in \Psi^2$  in the second round. This gain depends on the voter's preference, summarized by  $U(\cdot|t)$ , and on the strategy functions of second-round voters,  $\sigma^2$ . The strategies of other voters determine the expected number of votes received by each candidate in the second round, and thereby the pivot probabilities in that round. For a type  $t$ , the expected gain of voting for candidate  $P$  in the second round is:

$$G^2(P|t) = \Pr(piv_{PQ}^2) [U(P|t) - U(Q|t)]. \quad (3)$$

This reads as follows: a ballot in favor of candidate  $P$  can be pivotal in favor of  $P$  against candidate  $Q$ . If this happens, then  $P$  is elected instead of  $Q$  and voter  $t$ 's payoff is  $U(P|t) - U(Q|t)$ . By definition,  $G^2(\emptyset|t) = 0 \forall t$ .

<sup>23</sup>I consider three-way ties as a specific case of two-way ties.

### 3.2.2 First Round

Let  $G^1(\psi|t)$  denote the *expected gain* of playing action  $\psi \in \Psi^1$  in the first round. This gain depends on the voter's preference, summarized by  $U(\cdot|t)$ , and on the strategy functions of all voters:  $\sigma^1$  and  $\sigma^2$ . First-round strategies determine the expected number of votes received by each candidate in the first round, and thus the pivot probabilities in that round. Second-round strategies allow first-round voters to compute their expected utility for the different possible second rounds ( $A$  vs.  $B$ ,  $A$  vs.  $C$ , and  $B$  vs.  $C$ ). For a type  $t$  voter, the expected utility of a second round opposing  $i$  to  $j$  is given by

$$U(i, j|t) = \Pr(i|\{i, j\})U(i|t) + \Pr(j|\{i, j\})U(j|t),$$

where  $\Pr(i|\{i, j\})$  is the probability that candidate  $i$  wins the second round if opposed to candidate  $j$  and  $\Pr(j|\{i, j\}) = 1 - \Pr(i|\{i, j\})$ .

For a type  $t$ , the expected gain of playing action  $i$  in the first round is:

$$\begin{aligned} G^1(i|t) = & \Pr(\text{piv}_{ki/kj}^1) [U(k, i|t) - U(k, j|t)] + \Pr(\text{piv}_{ji/jk}^1) [U(j, i|t) - U(j, k|t)] + \\ & \Pr(\text{piv}_{i/j}^1) [U(i|t) - U(j|t)] + \Pr(\text{piv}_{i/k}^1) [U(i|t) - U(k|t)] + \\ & \Pr(\text{piv}_{i/ij}^1) [U(i|t) - U(i, j|t)] + \Pr(\text{piv}_{i/ik}^1) [U(i|t) - U(i, k|t)] + \quad (4) \\ & \Pr(\text{piv}_{ji/jj}^1) [U(j, i|t) - U(j|t)] + \Pr(\text{piv}_{jk/jj}^1) [U(j, k|t) - U(j|t)] + \\ & \Pr(\text{piv}_{ki/kk}^1) [U(k, i|t) - U(k|t)] + \Pr(\text{piv}_{kj/kk}^1) [U(k, j|t) - U(k|t)], \end{aligned}$$

where  $i, j, k \in \{A, B, C\}$  and  $i \neq j \neq k$ . The first line in (4) reads as follows: if a ballot in favor of  $i$  is second-rank pivotal  $ki/kj$ , then the second round opposes  $k$  to  $i$  instead of  $k$  to  $j$ ; if a ballot in favor of  $i$  is second-rank pivotal  $ji/jk$ , then the second round opposes  $j$  to  $i$  instead of  $j$  to  $k$ . The second line refers to the gains when the ballot is above-threshold pivotal and the three last lines refer to the gains when the ballot is threshold pivotal.<sup>24</sup>

## 4 Voting Behavior: Equilibrium Analysis

Equilibrium multiplicity is inherent to multicandidate elections (see Bouton and Castanheira 2009 and 2012 for a discussion). Runoff elections are not an exception. In this

---

<sup>24</sup>By definition,  $G^1(\emptyset|t) = 0 \forall t$ .

section, I focus on pure strategy equilibria in runoff elections. I identify three equilibrium properties of runoff electoral systems when voters are strategic. First, I show that runoff electoral systems generally produce equilibria in which only two candidates receive votes. These *Duverger's Law equilibria* are shown to exist for any first-round victory threshold  $\zeta \in [\frac{1}{3}, 1)$ . I demonstrate that the existence of these Duverger's Law equilibria may prevent the election of the Condorcet winner. Second, I show that the sincere voting equilibrium does not always exist. Together, these two results prove that the Duverger's Law equilibria may be the only pure strategy equilibria in runoff elections. Third, I show that when the threshold for first-round victory is below 50%, the Condorcet loser may be the only likely winner in equilibrium. Indeed, she may win the election outright in the first round because all majority voters vote for the candidate they prefer instead of coordinating their votes behind one candidate. Lastly, I show that all the equilibria identified are (*expectationally*) stable.

For the sake of simplicity, I perform the equilibrium analysis under the simplifying assumption that the electorate is composed of only three types of voters:  $t_{AB}$ ,  $t_{BA}$ , and  $t''_{CA}$ . Except for the first part of Theorem 2, all results extend to the general setup with more types of voters (see subsection 4.3).

Types  $t''_{CA}$  are called the *minority voters*: in expected terms, they represent a minority of the electorate, i.e.  $r(t''_{CA}) < 1/2$ . They strictly prefer candidate  $C$  to the other candidates, about whom they are indifferent:

$$U(C|t''_{CA}) = 1 > U(A|t''_{CA}) = U(B|t''_{CA}) = 0. \quad (5)$$

These voters always vote for  $C$ .

Together, types  $t_{AB}$  and  $t_{BA}$  are called the *majority voters*: in expected terms, they represent a majority of the electorate, i.e.  $r(t_{AB}) + r(t_{BA}) > 1/2$ . Types  $t_{AB}$  and  $t_{BA}$  all identify candidate  $C$  as being the worst option but have differing opinions about  $A$  and  $B$ . Types  $t_{AB}$  prefer  $A$  to  $B$  whereas types  $t_{BA}$  prefer  $B$  to  $A$ :<sup>25</sup>

$$U(A|t_{AB}) = 1 > U(B|t_{AB}) = 0 > U(C|t_{AB}) = -1$$

---

<sup>25</sup>In a previous version of the paper, I considered a different source of divisions among voters: voters were divided because of information instead of preferences. I proved that the main results hold under that assumption.

and

$$U(B|t_{BA}) = 1 > U(A|t_{BA}) = 0 > U(C|t_{BA}) = -1.$$

To be sure that the results do not hinge on any form of symmetry, I assume that, in expected terms, types  $t_{AB}$  represent a larger (or equal) fraction of the electorate than types  $t_{BA}$ :  $r(t_{AB}) \geq r(t_{BA})$ . Note that the particular values of  $U(A|t)$ ,  $U(B|t)$ , and  $U(C|t)$  are not necessary for my results.

I start with the analysis of the second-round voting behavior.

#### 4.1 Second Round

Being a two-candidate election, the analysis of voters' behavior in the second round is straightforward. From (3), it immediately follows that:

**Proposition 1** *In the second round, voters always vote for the candidate they prefer. Thus, the expected results of the second round depends on the identity of the candidates participating in that round:*

- (i) when  $\{P, Q\} = \{A, C\}$  or  $\{C, A\}$ :  $\tau_A^2 = r(t_{AB}) + r(t_{BA}) > \tau_C^2 = r(t''_{CA})$ ,
- (ii) when  $\{P, Q\} = \{B, C\}$  or  $\{C, B\}$ :  $\tau_B^2 = r(t_{AB}) + r(t_{BA}) > \tau_C^2 = r(t''_{CA})$ ,
- (iii) when  $\{P, Q\} = \{A, B\}$  or  $\{B, A\}$ :  $\tau_A^2 = r(t_{AB}) + \sigma^2(A|t''_{CA})r(t''_{CA})$  and  $\tau_B^2 = r(t_{BA}) + \sigma^2(B|t''_{CA})r(t''_{CA})$ .

When  $C$  participates in the second round, majority voters coordinate their votes on the participating majority candidate. This ensures that the majority candidate, either  $A$  or  $B$ , defeats  $C$  with a probability that tends to 1 as  $n$  becomes large. When  $A$  and  $B$  are opposed, the result depends on the fractions of types  $t_{AB}$  and  $t_{BA}$ ,  $r(t_{AB})$  and  $r(t_{BA})$ , as well as on type  $t''_{CA}$  strategies,  $\sigma^2(A|t''_{CA})$  and  $\sigma^2(B|t''_{CA})$ . For the sake of simplicity, I assume that types  $t''_{CA}$  abstain if  $C$  does not participate in the second round, i.e.  $\sigma^2(\emptyset|t''_{CA}) = 1$  if  $\{P, Q\} = \{A, B\}$ . Therefore, when opposed to  $B$ , except if  $r(t_{AB}) = r(t_{BA})$ ,  $A$  wins with a probability that tends to 1 when  $n$  becomes large. I will make clear that this assumption is not central to my results.

## 4.2 First Round

### 4.2.1 Duverger’s Law Equilibria

The game theoretic version of Duverger’s Law states that, in plurality elections, only two candidates should obtain a positive fraction of the votes when voters are strategic. The game theoretic version of Duverger’s Hypothesis states that, in the first round of a runoff election, at least three candidates obtain a positive fraction of the votes.

**Definition 1** *A Duverger’s Law equilibrium is a voting equilibrium in which only two candidates obtain a positive fraction of the votes. A Duverger’s Hypothesis equilibrium is a voting equilibrium in which all three candidates obtain a positive fraction of the votes.*

In a three-candidate setup, regardless of the distribution of preferences among majority voters, plurality elections always produce at least two Duverger’s Law equilibria (Myerson and Weber 1993, Fey 1997, Piketty 2000, and Bouton and Castanheira 2009): either all majority voters vote for candidate  $A$  or all majority voters vote for candidate  $B$ . The existence of multiple Duverger’s Law equilibria highlights that voters may fail to coordinate on the “correct” candidate. For instance, even if majority voters all prefer  $A$  over  $B$ , i.e.  $r(t_{BA}) = 0$ , there is an equilibrium in which they all vote for  $B$ . In other words, a Condorcet winner may not receive any vote.

According to Duverger’s Hypothesis, runoff elections should not feature such an undesirable property: in the first round of a three-candidate runoff election, all three candidates should obtain a positive fraction of the votes. Moreover, in many cases, the Condorcet winner is the only likely winner (Cox 1997, Piketty 2000 and Martinelli 2002). Nonetheless, the following Theorem shows that this feature does not hold when voters participating in each round are not always the same:

**Theorem 1 (Duverger’s Law equilibria)** *In the first round, there exist two Duverger’s Law equilibria in which all majority voters play  $\psi = A$  (resp.  $B$ ). For a threshold for first-round victory  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ , these equilibria exist for any  $r(t''_{CA}) \in (0, \frac{1}{2})$ . For  $\zeta = \frac{1}{2}$ , these equilibria exist for any  $r(t''_{CA}) \in [0.067, \frac{1}{2})$ . For  $\zeta \in (\frac{1}{2}, 1)$ , these equilibria exist for any  $r(t''_{CA}) \in [z, \frac{1}{2})$  where  $z < 0.067$ .*

The reason for the existence of Duverger’s Law equilibria in runoff elections is the following. Consider the first-round strategy profile  $\sigma^1(B|t_{BA}) = 1$  and  $\sigma^1(B|t_{AB}) = 1 - \omega$  with  $\omega \rightarrow 0$ , for which alternative  $A$ ’s expected vote share is vanishingly small. What is the best response of a  $t_{AB}$  voter? If he votes for  $B$  and is pivotal in electing  $B$  in the first round, he saves himself either from a victory of  $C$  in the first round when  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ , (i.e. if above-threshold pivotal  $B/C$ ), or from the risk of an upset victory of  $C$  in the second round when  $\zeta \in [\frac{1}{2}, 1)$ , (i.e. if threshold pivotal  $B/BC$ ). In comparison, voting for  $A$  is valuable for a  $t_{AB}$  voter if a second round is held and his ballot is pivotal in bringing  $A$  to that round, (i.e. if second-rank pivotal  $BA/BC$ ). Comparing the probabilities of each of these events shows that, when the expected fraction of type  $t''_{CA}$  is not too small, the risk of a  $C$  victory (in either round) is too high in comparison with the likelihood of having  $A$  participating in the second round.

The specificities of the (sufficient) conditions on the size of the minority depend on the Poisson distribution of voters. Nevertheless, the trade-off is self-explanatory. A majority voter has an incentive to abandon a trailing candidate ( $A$  in the above example) if the risk of  $C$ ’s victory is too high compared to the first-round chances of bringing the trailing majority candidate to the second round. Typically, the larger  $C$ ’s vote share, the higher the risk of  $C$ ’s victory, and the lower the probability that one vote may bring the trailing majority candidate to the second round. This makes clear that the risk of an upset victory is crucial for the Duverger’s Law equilibria to exist when  $\zeta \in [\frac{1}{2}, 1)$ . (See Section 5 for more details.)

#### 4.2.2 Sincere Voting Equilibrium

Theorem 1 does not show that Duverger’s Law equilibria are the only equilibria in runoff elections. Actually, Theorem 2 (below) identifies sufficient conditions for the existence of a Duverger’s Hypothesis equilibrium in which all voters are *sincere*, i.e.  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ . However, this theorem also identifies sufficient conditions under which the force underlying Duverger’s Law equilibria prevents the existence of the sincere voting equilibrium.<sup>26</sup>

---

<sup>26</sup>I focus on the existence of one type of sincere voting equilibrium: driven by the pivotal event  $piv^1_{CA/CB}$ . Other may exist. For instance, if the following magnitudes are larger than others: (i)  $mag(piv^1_{A/C}) = mag(piv^1_{B/C})$  (as

**Theorem 2 (Sincere voting)** *In the first round, there are  $\varepsilon_1, \varepsilon_2 > 0$  such that:*

(i) *the sincere voting equilibrium exists if  $r(t_{AB}) - r(t_{BA}) \leq \varepsilon_1$  and  $r(t_{BA}) \leq r(t_{AB}) < r(t''_{CA}) \leq \zeta$ ;*

(ii) *the sincere voting equilibrium does not exist if both  $r(t_{BA}) < \varepsilon_2$  and the conditions for the existence of Duverger's Law equilibria are satisfied.*

The intuition for the existence of the sincere voting equilibrium is as follows: conditional on being pivotal, majority voters choose which majority candidate participates in the second round with  $C$ . The event  $piv_{CA/CB}^1$  is most likely when  $A$  and  $B$  are, in expectations, relatively close to tying for second place and  $C$  is expected not to pass the threshold. Since the probability of defeating  $C$  in the second round is the same for both majority candidates, majority voters vote for their most preferred candidate:  $t_{AB}$ -voters vote  $A$  and  $t_{BA}$ -voters vote  $B$ . As mentioned above, this part of Theorem 2 need not extend to a setup with more types of voters (see subsection 4.3 for details).

Conversely, Theorem 2 also identifies when the sincere voting equilibrium cannot exist. The intuition is that some majority voters vote for their second-best candidate to avoid the risk of an upset victory in either the first or the second round (i.e. they are either above-threshold pivotal against  $C$  or threshold pivotal in favor of a majority candidate). This happens when one majority candidate has (much) more supporters than the other. In such a case, conditional on being pivotal, the election essentially boils down to a contest between one of the majority candidates and  $C$ . Some majority voters then abandon their most preferred candidate in order to ensure an outright victory of the other majority candidate in the first round.

Theorem 2 can be illustrated through numerical examples. First, one can illustrate that sincere voting is an equilibrium when majority candidates have sufficiently balanced support. Suppose that  $\zeta = 0.5$ ,  $r(t_{AB}) = 0.3$ ,  $r(t_{BA}) = 0.26$ , and  $r(t''_{CA}) = 0.44$ . As shown in Table 2, for these parameter values, majority voters assess that, conditional on being pivotal, they choose which majority candidate will oppose  $C$  in the second round. in plurality, or (ii)  $mag(piv_{A/AC}^1) = mag(piv_{B/BC}^1)$ , or (iii)  $mag(piv_{AB/AC}^1) + mag(\Pr(B|\{A, B\}))$ . Similarly, I focus on one reason for non-existence, i.e. when the force underlying the existence of Duverger's Law equilibria prevents voters to vote sincerely. See Bouton and Gratton (2012) for more details about the existence and non-existence of the sincere voting equilibrium in runoff elections.

Indeed,  $mag(piv_{CA/CB}^1)$  is the largest magnitude.<sup>27</sup> Hence, both types  $t_{AB}$  and  $t_{BA}$  vote for their most preferred candidate in order to force her participation in the second round.

**Table 2:** sincere voting, magnitudes

Threshold mag.*	Second-rank mag.**
$mag(piv_{A/AC}^1) = -0.0835$	$mag(piv_{BA/BC}^1) = -0.0251$
$mag(piv_{B/BC}^1) = -0.1227$	<b><math>mag(piv_{CA/CB}^1) = -0.0014</math></b>
	$mag(piv_{AB/AC}^1) = -0.0251$

\* Threshold pivotal ( $piv_{i/ij}^1$ ) if  $x_i^1 + 1 - \zeta > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$

\*\* Second-rank pivotal ( $piv_{ki/kj}^1$ ) if  $x_i^1 = x_j^1 - 1$  &  $\zeta(x_i^1 + x_j^1 + x_k^1) \geq x_k^1 > x_j^1$

The next example illustrates that sincere voting is not an equilibrium when the majority is sufficiently unbalanced. Suppose that  $\zeta = 0.5$ ,  $r(t_{AB}) = 0.38$ ,  $r(t_{BA}) = 0.18$ , and  $r(t''_{CA}) = 0.44$ . Taking into account the magnitude of the risk of an upset victory of  $C$  in the second round, i.e.  $mag(\Pr(C|\{A, C\})) = mag(\Pr(C|\{B, C\})) \geq -0.0072$ , I have from Table 3 that the sincere voting is not an equilibrium strategy. Indeed,  $mag(piv_{A/AC}^1) + mag(\Pr(C|\{A, C\}))$  is larger than all other magnitudes. This means that majority voters realize that, conditional on being pivotal, casting an  $A$ -ballot would ensure an outright victory of  $A$  in the first round, whereas casting a  $B$ - or  $C$ -ballot would lead to an upset victory of  $C$  in the second round. Majority voters thus all prefer to vote for  $A$ .

---

<sup>27</sup>The comparison between  $mag(piv_{CA/CB}^1)$  and the threshold magnitudes should actually take into account the risk of an upset victory of  $C$  in the second round, i.e.  $mag(\Pr(C|\{A, C\}))$  and  $mag(\Pr(C|\{B, C\}))$ . Since these magnitudes are smaller than 0, this actually reinforces the dominance of  $mag(piv_{CA/CB}^1)$  over the threshold magnitudes.

**Table 3:** no sincere voting, magnitudes

Threshold mag.*	Second-rank mag.**
$\text{mag}(\text{piv}_{A/AC}^1) = -0.0292$	$\text{mag}(\text{piv}_{BA/BC}^1) = -0.0668$
$\text{mag}(\text{piv}_{B/BC}^1) = -0.2316$	$\text{mag}(\text{piv}_{CA/CB}^1) = -0.0369$
	$\text{mag}(\text{piv}_{AB/AC}^1) = -0.0572$

\* Threshold pivotal ( $\text{piv}_{i/ij}^1$ ) if  $x_i^1 + 1 - \zeta > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$

\*\* Second-rank pivotal ( $\text{piv}_{ki/kj}^1$ ) if  $x_i^1 = x_j^1 - 1$  &  $\zeta (x_i^1 + x_j^1 + x_k^1) \geq x_k^1 > x_j^1$

Theorem 2 is in stark contrast with previous results in the literature. Indeed, Cox (1997) argues that the sincere voting equilibrium does not exist in three-candidate runoff elections because of “push-over tactics”: some supporters of the strongest candidate in the first round vote for an unpopular candidate in order to ensure the victory of their preferred candidate in the second round.<sup>28</sup> Theorem 2 shows that (i) the sincere voting equilibrium may exist and supporters of the strongest candidate do not “push over” because of the possibility of an outright victory in the first round, and (ii) “push-over” is not the only reason that may prevent the existence of the sincere voting equilibrium: there is also the desire to avoid the risk of an upset victory in the second round.

Together, Theorems 1 and 2 prove that the Duverger’s Law equilibria may be the only pure strategy equilibria in runoff elections. This strongly qualifies Duverger’s Hypothesis and extends Duverger’s Law to runoff elections.<sup>29</sup>

### 4.2.3 The Ortega Effect

In this subsection, I prove that  $C$ , the Condorcet loser, may be the only likely winner in equilibrium when the threshold  $\zeta \in (\frac{1}{3}, \frac{1}{2})$ . If  $C$  participates in the second round, majority voters coordinate behind the participating majority candidate (Proposition 1).

<sup>28</sup> Cox (1997) does not argue against the existence of a Duverger’s Hypothesis equilibrium, quite on the contrary.

<sup>29</sup> Using numerical examples (available upon request), I can show that the relation between the threshold for first-round victory and the existence of the sincere voting equilibrium is “non-monotonic”. That is, the existence of the sincere voting equilibrium for a threshold  $\zeta_1$  does not guarantee that it exists for a higher threshold  $\zeta_2$ . This is so because an outright victory of a majority candidate might be more likely for a higher value of the threshold.

Thus,  $r(t''_{CA}) < 1/2$  implies that  $C$  cannot win the second round with a probability that tends to 1 as  $n$  becomes large. I thus focus on the possibility of an outright victory of  $C$  in the first round. In that round,  $C$  is the only likely winner if her expected vote share is above both the threshold and the expected vote shares of candidates  $A$  and  $B$ :

$$\tau_C^1 > \zeta, \text{ and} \quad (6)$$

$$\tau_C^1 > \max\{\tau_A^1, \tau_B^1\}. \quad (7)$$

From  $r(t''_{CA}) < 1/2$ , I have that  $\tau_C^1 > \max\{\tau_A^1, \tau_B^1\}$  is possible if and only if majority voters divide their votes, i.e.  $\sigma^1(A|t_{AB}) > 0$  and  $\sigma^1(B|t_{BA}) > 0$ . In equilibrium,

$$G^1(A|t_{AB}) - G^1(B|t_{AB}) \geq 0, \text{ and} \quad (8)$$

$$G^1(A|t_{BA}) - G^1(B|t_{BA}) \leq 0,$$

must then be satisfied. From (4) and Property 2, a sufficient condition for (8) to be strictly satisfied is:<sup>30</sup>

$$\begin{aligned} \text{mag}(piv_{CA/CB}^1) > \max\{\text{mag}(piv_{BA/BC}^1), \text{mag}(piv_{AB/AC}^1), \text{mag}(piv_{A/C}^1), \\ \text{mag}(piv_{B/C}^1), \text{mag}(piv_{A/AC}^1), \text{mag}(\text{mag}_{B/BC}^1)\}. \end{aligned} \quad (9)$$

In such a situation:

$$\begin{aligned} \frac{G^1(A|t_A) - G^1(B|t_A)}{\Pr(piv_{CA/CB}^1)} &\xrightarrow{n \rightarrow \infty} U(C, A|t_{AB}) - U(C, B|t_{AB}) = \Pr(A|\{A, C\}) > 0, \\ \frac{G^1(A|t_B) - G^1(B|t_B)}{\Pr(piv_{CA/CB}^1)} &\xrightarrow{n \rightarrow \infty} U(C, A|t_{BA}) - U(C, B|t_{BA}) = -\Pr(A|\{A, C\}) < 0. \end{aligned}$$

To prove that  $C$  may be elected in equilibrium, it is therefore sufficient to prove that (9) can be true when (6) and (7) are satisfied. Theorem 3 then follows:

**Theorem 3 (Ortega effect)** *For a threshold for first-round victory  $\zeta < 0.5$ , there are  $\varepsilon_1, \varepsilon_2 > 0$  such that, if  $|r(t_{AB}) - r(t_{BA})| \leq \varepsilon_1$  and  $\zeta < r(t''_{CA}) < \zeta + \varepsilon_2$ , there exists an equilibrium with the following two properties:*

- (i)  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , and
- (ii)  $\tau_C^1 > \zeta > \max[\tau_A^1, \tau_B^1]$ .

---

<sup>30</sup>From Proposition 1,  $\Pr(A|\{A, C\}) > \frac{1}{2} \forall n$  and  $\Pr(A|\{A, C\}) \xrightarrow{n \rightarrow \infty} 1$ .

Why would majority voters divide their votes when  $C$  is expected to win? Consider the first-round choice of a majority voter who prefers  $B$  to  $A$ . If he expects  $C$  to pass the threshold (which is below 50%) and then to win outright, his main objective is to prevent  $C$ 's victory. There are two ways to achieve this goal: (i) vote for the strongest majority candidate, say  $A$ , to defeat  $C$  directly, or (ii) increase the threshold for first-round victory, which is achieved by voting for any of the two majority candidates (remember that the threshold is a percentage of the total number of votes). If a second round is then held,  $C$  is almost certainly defeated since all majority voters support the remaining majority candidate. The second option has the advantage that it does not require the majority voter to abandon  $B$ , his most preferred candidate, to fight  $C$ . Actually, it allows him to hit two birds with one stone: preventing  $C$  outright victory and qualifying  $B$  for the second round.

The  $t_{BA}$ -voter chooses option (i) and abandons  $B$ , his most preferred candidate, if the above-threshold pivotability  $A/C$  is sufficiently likely. He chooses option (ii) and votes for  $B$  if the threshold pivotability  $CA/C$  and the second-rank pivotability  $CB/CA$  are relatively more likely. Thus, even if  $C$  is expected to win, it may be individually rational for majority voters to vote for the candidate they prefer. This is what I call the *Ortega effect*, which may allow the Condorcet Loser to be the only likely winner of a runoff election with a threshold below 50%. Roughly speaking, the Ortega effect arises when  $C$  is unlikely to be defeated by a majority candidate in the first round, and the electorate is more or less evenly split among the two majority candidates.

Theorem 3 can be illustrated through a numerical example. Suppose that  $\zeta = 0.4$ ,  $r(t_{AB}) = 0.30$ ,  $r(t_{BA}) = 0.29$ , and  $r(t''_{CA}) = 0.41$ . With these parameter values, as for the Nicaraguan case discussed in the introduction, the Condorcet Loser,  $C$ , would asymptotically be ensured of a first-round victory if all voters vote for their most preferred candidate. First-round vote shares would be:  $\tau_C^1 = 0.41 > \zeta > \tau_A^1 = 0.30 > \tau_B^1 = 0.29$ . For these parameter values,  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  is an equilibrium strategy profile since, as illustrated in Table 2, condition (9) is satisfied: majority voters assess that, if they are pivotal, it is (i) to ensure that a second round is held (i.e.  $\text{piv}_{CA/C}^1$ ) and (ii) to choose whom of  $A$  and  $B$  will participate in the second round with  $C$  (i.e.

$piv_{CA/CB}^1$ ). Majority voters know that, conditional on being pivotal, a second round will be held. Therefore, types  $t_{AB}$  vote for  $A$  to ensure her participation in the second round, and types  $t_{BA}$  vote for  $B$  to ensure her participation in the second round. Although majority voters correctly anticipate an outright victory of  $C$  in the first round, they divide their votes between the two majority candidates.

**Table 4:** equilibrium magnitudes

Threshold mag.*	Above-Threshold mag.**	Second-rank mag.***
$mag(piv_{A/AC}^1) = -0.0223$	$mag(piv_{A/C}^1) = -0.0304$	$mag(piv_{BA/BC}^1) = -0.0125$
$mag(piv_{B/BC}^1) = -0.0273$	$mag(piv_{B/C}^1) = -0.0370$	<b><math>mag(piv_{CA/CB}^1) = -0.0003</math></b>
<b><math>mag(piv_{CA/C}^1) = -0.0002</math></b>	$mag(piv_{A/B}^1) = -0.0953$	$mag(piv_{AB/AC}^1) = -0.0125$
$mag(piv_{CB/C}^1) = -0.0003$		

\* Threshold pivotal ( $piv_{i/ij}^1$ ) if  $x_i^1 + 1 - \zeta > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$

\*\* Above-threshold pivotal ( $piv_{i/j}^1$ ) if  $x_i^1 = x_j^1 - 1 \geq \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_k^1$

\*\*\* Second-rank pivotal ( $piv_{ki/kj}^1$ ) if  $x_i^1 = x_j^1 - 1$  &  $\zeta (x_i^1 + x_j^1 + x_k^1) \geq x_k^1 > x_j^1$

The existence of the Ortega effect does not rely on any remaining uncertainty about the distribution of preferences in the electorate after the first round. On the contrary, it is reinforced if the risk of an upset victory by  $C$  is null. Preventing an outright victory of  $C$  in the first round by forcing a second round becomes more appealing if the majority candidate participating in the second round is sure to defeat  $C$ .

The Ortega effect does not exist in plurality elections. Indeed, when  $C$  is expected to win, the majority voters' only way to defeat her is to vote for the strongest majority candidate: a ballot cannot be threshold pivotal  $CA/C$  since, by definition, there is no possibility of a second round in a plurality election.

Yet it has been argued that the Condorcet Loser can be the only likely winner in an equilibrium of a plurality election (Myerson and Weber 1993). This happens if and only if both majority candidates are expected to get exactly the same vote shares.<sup>31</sup>

---

<sup>31</sup>This does *not* require the fraction of supporters of the two majority candidate to be equal. If  $r(t_{AB}) \neq r(t_{BA})$ , the voters of the (expected) larger group mix between  $A$  and  $B$  such that the two candidates get the same vote shares in expectation.

Majority voters then divide their votes because they do not know which candidate to coordinate on (this could also happen in a runoff election). However, Fey (1997) criticizes this equilibrium and shows that it is not *expectationally* stable (see next section for more details).<sup>32</sup>

In contrast, I prove in the next subsection that the equilibria identified in Theorems 1, 2, and 3, are all expectationally stable. This suggests that, *ceteris paribus*, the Condorcet Loser is more likely to win in a runoff election with a threshold  $\zeta < 50\%$  than in a plurality election.

#### 4.2.4 Stability

Fey (1997) analyzes the stability of equilibria in plurality elections using a concept, developed by Palfrey and Rosenthal (1991), based on the dynamics of beliefs: *Expectationally Stable Equilibrium*.<sup>33</sup> They define this stability concept for three-candidate plurality elections in which the preferences for the second best candidate are drawn uniformly on  $[0, 1]$ . I adapt their definition to the setup considered here:

**Definition 2** *An equilibrium  $\sigma^*$  is expectationally stable if for any  $t \in \{t_{AB}, t_{BA}\}$ , there exists an  $\varepsilon > 0$  such that*

$$\begin{aligned}
 1 - \sigma^1(B|t) &= \sigma^1(A|t) \in [\sigma^{1,*}(A|t) - \varepsilon, \sigma^{1,*}(A|t) + \varepsilon] \cap [0, 1], \\
 &\implies \\
 G^1(A|t) &> G^1(B|t) \text{ if } \sigma^1(A|t) < \sigma^{1,*}(A|t), \text{ and} \\
 G^1(A|t) &< G^1(B|t) \text{ if } \sigma^1(A|t) > \sigma^{1,*}(A|t).
 \end{aligned}$$

If an equilibrium  $\sigma^*$  is expectationally stable, the following *tâtonnement* process converges to  $\sigma^*$ . Let  $\sigma^{1,0}(A|t_{AB})$  (and  $\sigma^{1,0}(B|t_{AB}) = 1 - \sigma^{1,0}(A|t_{AB})$ ) be an arbitrary initial strategy in  $[\sigma^{1,*}(A|t) - \varepsilon, \sigma^{1,*}(A|t) + \varepsilon] \cap [0, 1]$ . Every  $t_{AB}$  voter starts out playing  $\sigma^{1,0}(A|t_{AB})$  while  $t_{BA}$  and  $t''_{CA}$  use  $\sigma^*$ . Next, a public opinion poll is taken to measure

---

<sup>32</sup>Fey (1997) does not consider the case  $r(t_{AB}) = r(t_{BA})$ , in which sincere voting is an equilibrium. Perhaps surprisingly, this equilibrium can be proved to be expectationally stable.

<sup>33</sup>The traditional refinement concepts (e.g. trembling-hand perfection and properness) do not have much bite in the context of voting games (see e.g. De Sinopoli 2000).

voting intentions, and the results are publicly announced. Given the strategy in use, the expected vote shares are:

$$\begin{aligned}\tau^{1,0}(A) &= r(t_{AB})\sigma^{1,0}(A|t_{AB}) + r(t_{BA})\sigma^{1,*}(A|t_{BA}), \\ \tau^{1,0}(B) &= r(t_{AB})(1 - \sigma^{1,0}(A|t_{AB})) + r(t_{BA})\sigma^{1,*}(B|t_{BA}), \text{ and} \\ \tau^{1,0}(C) &= \tau^{1,*}(C) = r(t''_{CA}).\end{aligned}$$

Based on this expectation of the results,  $t_{AB}$  voters can “ $\epsilon$ -adapt” their strategy, i.e. choose a new strategy  $\sigma^{1,1}(A|t_{AB}) \in [\sigma^{1,0}(A|t_{AB}) - \epsilon, \sigma^{1,0}(A|t_{AB}) + \epsilon]$ , where  $\epsilon > 0$  but arbitrarily small.<sup>34</sup> The voters then update their expectation of the results (i.e. they compute  $\tau^{1,1}$ ). One iterates to identify a sequence  $\sigma^{1,k}(A|t_{AB})$ ,  $k = 1, 2, \dots$  If this sequence converges to  $\sigma^{1,*}(A|t_{AB})$ , the equilibrium is *expectationally stable*.

As mentioned above, in plurality elections, the Duverger’s Hypothesis equilibrium in which the Condorcet Loser is the only likely winner is not expectationally stable (Fey 1997). Given that a plurality election can be modelled as a runoff election with a threshold  $\zeta = 0$ , this result is easy to reproduce in the setup of this paper.<sup>35</sup> A necessary condition for such a Duverger’s Hypothesis equilibrium to exist as  $n \rightarrow \infty$  is  $\text{mag}(\text{piv}_{A/C}^1) = \text{mag}(\text{piv}_{B/C}^1)$ , otherwise all majority voters want to vote for the same candidate, either  $A$  or  $B$ . From Lemma 3, this requires that both majority candidates are equally likely to defeat  $C$ , i.e.  $\tau^{1,*}(C) > \tau^{1,*}(A) = \tau^{1,*}(B)$ . Such an equilibrium is not expectationally stable: for any strategy such that  $\tau^1(A) \neq \tau^1(B)$ , I have that  $\text{mag}(\text{piv}_{A/C}^1) \neq \text{mag}(\text{piv}_{B/C}^1)$  and thus all majority voters want to vote for the majority candidate with the largest expected vote share.<sup>36</sup>

---

<sup>34</sup>The concept of  $\epsilon$ -adaptation of strategy is important for the intuition of the expectational stability of mixed strategy equilibria but is useless for pure strategy equilibria. If voters fully adapt their strategy, one iteration is sufficient for voters to play the equilibrium strategy in the latter case. By contrast, for mixed strategy equilibria, we would never observe convergence. If the preferences for the second best candidate were drawn uniformly on  $[0, 1]$ , as in Fey (1997), I would not need the concept of  $\epsilon$ -adaptation of strategy.

<sup>35</sup>For  $\zeta = 0$ , a second round is never held and thus the above-threshold pivotal events are the only possible ones.

<sup>36</sup>As mentioned above, this proof does not hold for the knife-edge case  $r(t_{AB}) = r(t_{BA})$ . In that knife-edge case, sincere voting is an expectationally stable equilibrium. This is so because, in contrast with any Duverger’s hypothesis equilibrium in mixed strategy, the sincere voting equilibrium does not require  $G^1(A|t) = G^1(B|t)$  for the more abundant type  $t$ .

It remains to show that the equilibria in Theorems 1, 2, and 3, are expectationally stable. The proof relies on the continuity of the magnitudes in the expected vote shares. For all the equilibria under consideration, one magnitude, say  $mag^*$ , is strictly larger than all the others. By the continuity of the magnitudes, there exist an  $\varepsilon > 0$  such that for  $1 - \sigma^1(B|t) = \sigma^1(A|t) \in [\sigma^{1,*}(A|t) - \varepsilon, \sigma^{1,*}(A|t) + \varepsilon] \cap [0, 1]$ ,  $mag^*$  remains the largest magnitude. These equilibria are thus all expectationally stable.

In particular, the sincere voting equilibrium (Ortega or not) exists if the magnitude of  $piv_{CA/CB}^1$  is larger than all other magnitudes. By the continuity of the magnitudes, I have that  $\exists \varepsilon > 0$  such that, for  $\sigma^1(A|t_{AB}) \geq 1 - \varepsilon$ , the magnitude of  $piv_{CA/CB}^1$  is still the largest. Hence,  $G^1(A|t_{AB}) > G^1(B|t_{AB})$ . Since a similar result can be proven for type  $t_{BA}$ , the sincere voting equilibrium is expectationally stable. For the Duverger's Law equilibria, the same logic applies for the comparison of either  $mag(piv_{A/AC}^1) + mag(\Pr(C|\{A, C\}))$  or  $mag(piv_{B/BC}^1) + mag(\Pr(C|\{B, C\}))$  and the other magnitudes. Therefore, even the Duverger's Law equilibrium in which the Condorcet winner does not receive any votes is expectationally stable.<sup>37</sup>

These two previous paragraphs make clear that the equilibria in Theorems 1, 2, and 3 are all strictly perfect, i.e. a very stringent test of robustness due to Okada (1981).<sup>38</sup> Indeed, by the continuity of the magnitudes in the expected vote shares, for any of these equilibria, the strategy  $\sigma^*$  is a best response to any element of a sequence of slightly trembled strategy profiles  $\sigma^k$  converging to the equilibrium  $\sigma^*$ .

At first sight, the stability and robustness of the Duverger's Law equilibrium in which the Condorcet winner receives no votes might be puzzling. Indeed, why would a majority of the voters not vote for their most preferred candidate? Arguably, this is a reasonable behavior when there is an incumbent majority candidate and she is not the Condorcet winner. In such a situation, each majority voter might expect the incumbent to receive the votes of most other majority voters. They therefore rightly believe that the incumbent is more likely than the other majority candidate (i.e. the Condorcet winner) to be in a close race with the minority candidate. Voting for the incumbent is then individually rational.

---

<sup>37</sup>The expectational stability of Duverger's law equilibria also proves that these equilibria are robust to the presence of partisans voters in the electorate (i.e. voters that always vote for their most preferred candidate).

<sup>38</sup>See e.g. Ghosh and Tripathi 2012 for application of this refinement concept to voting games.

Coordination devices such as polls and parties may help majority voters to overcome such a coordination failure. Nonetheless, the existence of (expectationally stable) Duverger’s Law equilibria in runoff elections shows that the runoff system alone does not guarantee that such a coordination failure will never arise. Plurality elections feature the exact same weakness.

### 4.3 General setup

In this section, I show that, except for the first part of Theorem 2, the main results of the equilibrium analysis hold in the general setup with more than three types of voters.

The most striking feature of Theorem 1 is that there generally exists a Duverger’s Law equilibrium in which the Condorcet winner does not receive any votes. One might wonder if such an eviction of the Condorcet winner from the electoral race relies on the relatively simple structure of preferences assumed in the previous section. The following Lemma shows that this is not the case (and implicitly extends Theorem 1 to the general setup):

**Lemma 1** *When  $r(t) > 0 \forall t \in T \setminus \{t''_{AB}, t''_{BA}\}$ , there exists a Duverger’s Law equilibrium in which the Condorcet winner does not receive any vote as long as the fraction of supporters of the least popular candidate,  $\phi$ , is sufficiently large. For a threshold for first-round victory  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ , this equilibrium exists for any  $\phi \in (0, \frac{1}{2})$ . For  $\zeta = \frac{1}{2}$ , this equilibrium exists for any  $\phi \in [0.067, \frac{1}{2})$ . For  $\zeta \in (\frac{1}{2}, 1)$ , this equilibrium exist for any  $\phi \in [z, \frac{1}{2})$  where  $z < 0.067$ .*

Only the second part of Theorem 2, that the sincere voting equilibrium does not always exist, extends to a setup with more types of voters. Indeed, Bouton and Gratton (2012) explore the properties of the sincere voting equilibrium and of Duverger’s Hypothesis equilibria in the first round of a runoff elections and show that the former does not exist when preferences in the electorate are sufficiently diverse, i.e. most (or all) types in  $T$  are represented. They also show that Duverger’s Hypothesis equilibria may exist when one allows for mixed strategies. From Lemma 1, it follows that the second part of Theorem 2 holds when there are more than three types of voters.

Theorem 3 extends to the general model straightforwardly. First, knowing that  $mag(piv_{C/CA}^1)$  is (among) the largest magnitude helps to understand why it holds when types  $t''_{CA}$  are

replaced by types  $t_{CA}$  and  $t_{CB}$ . These voters want to vote for  $C$  to ensure her victory in the first round. They do not want to vote for  $A$  or  $B$  since this could prevent  $C$ 's outright victory. Second, the behavior of types  $t_{AC}$  and  $t_{BC}$  might seem problematic since they would not necessarily vote sincerely. For instance, when the expected outcome of the first round is  $0 \leq \tau_A^1 - \tau_B^1 < \epsilon$  and  $\tau_A^1 < \zeta < \tau_C^1 < \zeta + \kappa$ ,  $t_{BC}$ -voters may vote for  $C$  in order to ensure her outright victory in the first round and therefore avoid the risk of a victory of  $A$  in the second round.<sup>39</sup> Such insincere behavior does not preclude the Ortega effect. Indeed, there is a constellation of  $r(t)$  values such that (i)  $C$  is the Condorcet loser and (ii) the conditions

$$\begin{aligned} 0 &\leq \tau_A^1 - \tau_B^1 < \epsilon, \text{ and} \\ \tau_A^1 &\leq \zeta < \tau_C^1 < \zeta + \kappa \end{aligned}$$

are satisfied when  $\tau_C^1 = r(t_{CA}) + r(t''_{CA}) + r(t_{CB}) + r(t_{BC}) + r(t'_{BC})$ ,  $\tau_A^1 = r(t_{AB}) + r(t'_{AB}) + r(t_{AC}) + r(t'_{AC})$ , and  $\tau_B^1 = r(t_{BA}) + r(t''_{BA})$ .

## 5 On the Groups of First- and Second-Round Voters

In this section, I discuss the assumption of a complete new draw of the population of voters between the two rounds. I show that my results do not rely on this particular feature of the model. A high enough risk of upset victory in the second round is sufficient for my results to hold. This risk exists when, conditional on being pivotal, the distribution of preferences in the electorate remains uncertain. I show that such an uncertainty appears as soon as the set of first-round and second-round voters are not exactly the same. Since this risk of upset victory plays a role for Theorem 1 and the second part of Theorem 2, but not for the first part of the latter nor for Theorem 3, the following discussion focuses on the two former results.

Note that having a different electorate in each round is not necessary for the results to hold. Another sufficient condition is that voters discount the future a bit or perceive

---

<sup>39</sup>For  $\epsilon$  and  $\kappa$  sufficiently small, the ranking of magnitude is such that  $\text{mag}(\text{piv}_{C/CA}^1) > \text{mag}(\text{piv}_{C/CB}^1) \geq \text{mag}(\text{piv}_{CA/CB}^1) > \text{other magnitudes}$ . Therefore, types  $t_{CA}, t''_{CA}, t_{CB}$ , and  $t'_{BC}$  vote for  $C$ , types  $t_{AB}, t'_{AB}, t_{AC}$ , and  $t'_{AC}$  vote for  $A$  and types  $t_{BA}$  and  $t''_{BA}$  vote for  $B$ .

a cost to organizing a second round, or any other force that makes them prefer that a candidate wins in the first rather than in the second round.

### 5.1 When All Voters Participate in the Two Rounds

When the set of first-round voters is exactly the same as the set of second-round voters, the final outcome of the election is perfectly known, conditional on being pivotal in the first round. For instance, conditional on being threshold pivotal  $A/AC$ , the risk of an upset victory of  $C$  in the second round is null. Indeed, a ballot is threshold pivotal  $A/AC$  if

$$x_A^1 + 1 - \zeta > \zeta (x_A^1 + x_B^1 + x_C^1) \geq x_A^1 \geq x_C^1 \geq x_B^1.$$

Therefore, voters know that, even if  $x_B^1 = 0$ , candidate  $A$  will have enough votes to defeat  $C$  in the second round since  $x_A^2 \geq x_A^1 + 1 > x_C^1$ .

Hence, if the set of voters is exactly the same in both rounds, Duverger's Law equilibria do not exist in runoff elections with a threshold  $\zeta \in [\frac{1}{2}, 1)$ . For majority voters, an outright victory of a majority candidate in the first round, say  $A$ , is payoff equivalent to a second round opposing  $A$  to  $C$ . Indeed, from  $\Pr(A | \{A, C\}, piv_{A/AC}^1) = 1$ , I have that

$$\Pr(A | \{A, C\}, piv_{A/AC}^1)U(A|t) + \Pr(C | \{A, C\}, piv_{A/AC}^1)U(C|t) = U(A|t), \quad \forall t \in \{t_{AB}, t_{BA}\}.$$

The best response of a  $t_{BA}$  voter, anticipating that all other majority voters are voting for  $A$ , is now to vote for  $B$ . He has nothing to gain by voting for  $A$ , whereas casting a  $B$ -ballot may allow  $B$  to participate to the second round with  $A$  (and then potentially win). Therefore, neither Theorem 1 nor the second part of Theorem 2 hold when the voters participating in the two rounds are exactly the same.

### 5.2 When Some Voters Participate in the Two Rounds

In practice, the group of first-round voters usually differs from the group of second-round voters. There are two basic reasons for this: (i) some first-round voters do not participate in the second round, and (ii) some voters only participate in the second round. The assumption that there are no voters participating in both rounds is not entirely satisfying. Yet, a model allowing for (i) voters participating only in the first round,

(ii) voters participating only in the second round, and (iii) voters participating in both rounds, is relatively intractable. I therefore focus on a case in which there are voters participating in both rounds and voters participating only in the second round. Note that my results hold for the case in which there are voters participating in both rounds and voters participating only in the first round.<sup>40</sup>

As explained in the previous section, conditional on being pivotal, voters obtain information about the distribution of preferences in the electorate: they learn the distribution of preferences in the group of first-round voters. Importantly, in this model, there should not be any Bayesian updating of the expected distribution of preferences of the new second-round voters,  $r^2(t)$ , when confronted with such an information. Yet, one might wonder whether the results are robust to such an updating of beliefs.<sup>41</sup> Since the case without Bayesian updating can be derived easily from the case with Bayesian updating, I only present the details of the latter. The main difference is that Bayesian updating might reinforce some of my results.

Applying Bayes' rule, I have that:

$$r^2(t) = \frac{1}{x_A^1 + x_B^1 + x_C^1} \left( x_A^1 \frac{r^1(t) \sigma^1(A|t)}{\tau_A^1} + x_B^1 \frac{r^1(t) \sigma^1(B|t)}{\tau_B^1} + x_C^1 \frac{r^1(t) \sigma^1(C|t)}{\tau_C^1} \right). \quad (10)$$

Considering the Duverger's Law equilibrium in which all majority voters vote for  $A$ , I am interested in the probability of an upset victory of  $C$  conditional on a ballot being threshold pivotal  $A/AC$  in the first round. This conditional probability is

$$\Pr(C | \{A, C\}, piv_{A/AC}^1) = \Pr(x_C^1 + x_C^2 > x_A^1 + x_B^1 + x_A^2 | \{A, C\}, piv_{A/AC}^1),$$

where  $x_A^2$  and  $x_C^2$  are distributed according to Poisson distribution of mean  $n^2(r^2(t_{AB}) + r^2(t_{BA}))$  and  $n^2 r^2(t''_{CA})$  respectively. Since  $x_B^1 = 0$  when  $\sigma^1(A|t_{AB}) = 1 = \sigma^1(A|t_{BA})$ , this reduces to

$$\Pr(C | \{A, C\}, piv_{A/AC}) = \Pr\left(x_C^1 \left(\frac{1-2\zeta}{1-\zeta}\right) > x_A^2 - x_C^2\right). \quad (11)$$

I am now in a position to prove that  $\sigma^1(A|t_{AB}) = 1 = \sigma^1(A|t_{BA})$  (and  $\sigma^1(C|t''_{CA}) = 1$ )

---

<sup>40</sup>The proof is available upon request.

<sup>41</sup>Small modifications to the model may justify Bayesian updating. For instance, if there are potential differences in the participation of the different types of voters (and if there is uncertainty about these differences) then voters will update their beliefs about the distribution of preferences in the voters showing up to the poll booth.

is an equilibrium in runoff elections with a threshold  $\zeta \in [\frac{1}{2}, 1)$ .<sup>42</sup> I divide the proof into two parts: (i)  $\zeta = 1/2$  and (ii)  $\zeta > 1/2$ .

For  $\zeta = 1/2$ , I have from (11) that

$$\Pr(C | \{A, C\}, piv_{A/AC}^1) = \Pr(x_C^2 > x_A^2).$$

Since all (other) majority voters vote  $A$  and all minority voters vote  $C$ , I have from Lemma 2 that

$$mag(\Pr(C | \{A, C\}, piv_{A/AC}^1)) \geq - \left( \sqrt{1 - r^2(t_C)} - \sqrt{r^2(t_C)} \right)^2.$$

Knowing from (10) that  $r^2(t_{AB}) = \frac{1}{2} \frac{r^1(t_{AB})}{1-r^1(t_{CA}'' )}$ ,  $r^2(t_{BA}) = \frac{1}{2} \frac{r^1(t_{BA})}{1-r^1(t_{CA}'' )}$ , and  $r^2(t_{CA}'') = \frac{1}{2}$ , this becomes

$$mag(\Pr(C | \{A, C\}, piv_{A/AC}^1)) = 0.$$

From the proof of Theorem 1, this directly implies that, for runoff elections with a threshold  $\zeta = 1/2$ , Duverger's Law equilibria exist for any  $r^1(t_C) \in (0, 1/2)$ . This also shows that the updating of beliefs about the expected distribution of preferences in the group of second-round voters may weaken the conditions for the existence of Duverger's Law equilibria.

For  $\zeta > 1/2$ , the consequences of learning and beliefs updating are ambiguous. On the one hand, since  $x_C^1(\frac{1-2\zeta}{1-\zeta}) < 0$ , an upset victory of  $C$  in the second round requires a larger number of new  $t_{CA}''$ -voters than with  $\zeta = 1/2$ , i.e.  $x_C^2 > x_A^2 - x_C^1(\frac{1-2\zeta}{1-\zeta})$ . This reduces the risk of an upset victory. On the other hand, if the threshold for first-round victory is lower than the expected size of the majority, then, conditional on being pivotal, voters realize that the majority is smaller than expected: if  $1 - r^1(t_{CA}'') > \zeta$ , then  $1/2 > r^2(t_{CA}'') > r^1(t_{CA}'')$ . This increases the risk of upset victory. The conditions under which Duverger's Law equilibria exist may thus be more demanding. Nonetheless, as long as  $mag(\Pr(C | \{A, C\}, piv_{A/AC}^1))$  is sufficiently large, the Duverger's Law equilibria will exist.

Since the second part of Theorem 2 is closely related to the existence of Duverger's Law equilibria, I can prove in a similar fashion that it holds when the assumption of a complete new draw of voters is relaxed.

---

<sup>42</sup>For  $\zeta \in (\frac{1}{3}, \frac{1}{2})$ , the probability of an upset victory of  $C$  in the second round does not influence the behavior of majority voters: they are influenced by an above-threshold pivotability against  $C$ .

## 6 Victory Margin Requirements

In this section, I analyze runoff electoral systems that impose an extra condition for first-round victory: a victory margin requirement. In these electoral systems, a candidate wins outright in the first round if she receives more than a fraction  $\zeta$  of the votes *and* if she has a  $\beta$ -points lead over the nearest competitor. I prove that my results hold.

Imposing a victory margin requirement has two consequences for pivot probabilities. First, there is an additional condition for a ballot to be threshold pivotal and above-threshold pivotal. For instance, without a victory margin requirement, a ballot is threshold pivotal  $i/i_j$  if candidate  $i$  lacks (about) one vote to pass the threshold for first-round victory  $\zeta$  and if the ranking is  $i$  then  $j$  then  $k$ , i.e. if  $x_i^1 + 1 - \zeta > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$ . Now, in addition to these conditions, candidate  $i$  must have a lead over the other candidates larger than a fraction  $\beta$  of the votes, i.e.  $x_i^1 - x_j^1 > \beta (x_i^1 + x_j^1 + x_k^1)$ . Since the magnitude of a threshold pivot probability and an above threshold pivot probability can only be affected negatively by this new constraint, it is clear that

$$\begin{aligned} \text{mag}(\text{piv}_{i/i_j}^{1,VM}) &\leq \text{mag}(\text{piv}_{i/i_j}^1), \forall i, j \in \{A, B, C\}, i \neq j, \\ \text{mag}(\text{piv}_{i/j}^{1,VM}) &\leq \text{mag}(\text{piv}_{i/j}^1), \forall i, j \in \{A, B, C\}, i \neq j, \end{aligned} \tag{12}$$

where the superscript  $VM$  refers to a runoff election with a victory margin requirement. For instance,  $\text{mag}(\text{piv}_{i/i_j}^{1,VM})$  denotes the threshold-pivot probability  $i/i_j$  when a victory margin is required.

The second consequence is that there is a new pivotal event in the first round. In runoff electoral systems with victory margin requirements, a ballot can allow a candidate to win outright in the first round if she has enough votes to pass the threshold but lacks one vote to have the  $\beta$ -points lead over her nearest competitor, i.e. if  $x_i^1 - x_j^1 = \beta (x_i^1 + x_j^1 + x_k^1)$  and  $x_i^1 > \zeta (x_i^1 + x_j^1 + x_k^1) \geq x_j^1 \geq x_k^1$ . In such a situation, I say that a ballot is *margin pivotal*  $i - j$ , denoted  $\text{piv}_{i-j}^{1,VM}$ . When margin pivotal  $i - j$ , not casting a ballot in favor of

candidate  $i$  leads to a second round opposing  $i$  to  $j$ . From Property 1 (in Appendix A1),

$$\begin{aligned} \begin{aligned} \text{mag}(piv_{i-j}^{1,VM}) &= \text{mag}(piv_{j-i}^{1,VM}) = 0 \text{ if } \begin{cases} \tau_i^1 - \tau_j^1 = \beta \\ \tau_i^1 \geq \zeta \\ \tau_j^1 \geq \tau_k^1 \end{cases} \\ \text{mag}(piv_{i-j}^{1,VM}) &= \text{mag}(piv_{j-i}^{1,VM}) < 0 \text{ otherwise.} \end{aligned} \end{aligned} \quad (13)$$

The trade-off underlying the existence of Duverger's Law equilibria (and the non-existence of the sincere voting equilibrium) is the same as before: majority voters vote for the strong majority candidate in order to avoid the risk of an upset victory of  $C$  in the second round. The difference is that majority voters may now have to ensure that the stronger majority candidate obtains a large enough margin of victory. This new requirement can influence majority voter incentives in two ways. On the one hand, this requirement may strengthen the incentives of majority voters to coordinate. Indeed, it may be more likely that the strong majority candidate falls short of one vote to pass the margin of victory than she falls short of one vote to rank above  $C$  (i.e.  $\text{mag}(piv_{B-C}^{1,VM}) > \text{mag}(piv_{B/BC}^1)$ ). On the other hand, if the victory margin requirement is so demanding that it is almost impossible to satisfy, i.e.  $\beta$  is too high, then the new requirement weakens the incentives of majority voters to coordinate. Majority voters prefer not to coordinate if it is unlikely that the strong majority candidate will win outright.<sup>43</sup> The extension of the second part of Theorem 2 to runoff elections with victory margin requirements follows directly from this argument.

The reason explaining the Ortega effect is also the same as without a victory margin requirement: majority voters divide their votes in the first round because they realize that, if  $C$  does not win outright in the first round, this is because a second round is held (and not because one majority candidate defeats her directly). Nonetheless, by definition the victory margin requirement imposes an additional constraint for an outright victory of  $C$  in the first round:  $\tau_C^1 - \max\{\tau_A^1, \tau_B^1\} > \beta$ . This new constraint restricts the set of parameters for which the Ortega effect exist:  $r(t''_{CA}) - r(t_{AB}) > \beta$  has to be satisfied.<sup>44</sup>

---

<sup>43</sup>Details on the conditions under which Duverger's law equilibria exist in runoff elections with victory margin requirements are available upon request.

<sup>44</sup>Proof available upon request.

## 7 Conclusion

This paper analyzed the voting equilibria in three-candidate runoff elections. I proposed a new model of three-candidate runoff elections which included two new features. First, voters participating in the two rounds are not necessarily the same. This implies a positive and endogenous risk of upset victory in the second round. Second, the model allowed for many different types of runoff systems: any threshold for first round victory between 0% and 100% as well as more sophisticated rules, e.g. moving thresholds and victory margin requirements. I demonstrated three main results: (i) runoff elections produce multiple *Duverger's Law* equilibria in which only two candidates obtain a positive fraction of the votes, (ii) the sincere voting equilibrium does not always exist, and (iii) the *Ortega effect* may lead to the systematic victory of the Condorcet loser in runoff elections with a threshold below 50%. In contrast, the Ortega effect does not arise in plurality elections.

Though relatively general, the analysis is stylized on two dimensions. First, voters of a same type have the same preference intensities. Relaxing this assumption would not change the main results. In Duverger's Law equilibria, as long as the risk of upset victory is large enough, some voters are willing to abandon their most preferred candidate in order to avoid the victory of their least preferred candidate. For a sufficiently large electorate, this is true no matter the intensity of their preferences.<sup>45</sup> In the equilibrium sustaining the Ortega effect, all majority voters vote for the candidate they prefer. Preferring a candidate more intensely cannot affect such strategies nor the outcome they imply. Second, there are "only" three candidates. With respect to voters' behavior and the number of serious candidates in equilibrium, i.e. candidates receiving a positive fraction of votes, this assumption should be innocuous. Indeed, voters' strategic incentives imply that there are at most three serious candidates in runoff elections: the candidate expected to rank fourth would be abandoned by her supporters given that she could not qualify for the second round.<sup>46</sup> My model can thus be seen as a "reduced form" of a model with more candidates. Nonetheless, by doing so I exclude the possibility of analyzing how the three

---

<sup>45</sup>In a setup with heterogenous preferences, Bouton and Gratton (2012) prove the existence of Duverger's law equilibria in runoff elections with a threshold at 50%.

<sup>46</sup>This is not totally accurate: four candidates may receive a positive fraction of votes if three of them tie for the second rank (see Cox 1997).

serious candidate are selected out of a larger set of candidates. This selection certainly suffers from coordination problems that might lead to inefficient outcomes. This is an interesting avenue for future research.

## References

- [1] Blais, André, Massicotte, Louis, and Dobrzynska, Agnieszka (1997). “Direct Presidential Elections: A World Summary.” *Electoral Studies*, 16 (4), pp. 441-455.
- [2] Borda, Jean-Charles (1781). *Mémoires sur les élections au Scrutin*. Paris: Histoire de l’Academie Royale des Sciences.
- [3] Bouton, Laurent and Castanheira, Micael (2009). “The Condorcet-Duverger Trade-Off: Swing Voters and Electoral Systems.” in Aragonés, E., Beviá, C., Llavador, H., Norman, S., Eds., *The Political Economy of Democracy*, fundacion BBVA, Spain.
- [4] Bouton, Laurent and Castanheira, Micael (2012). “One Person, Many Votes: Divided Majority and Information Aggregation.” *Econometrica*, 80, pp. 43-87.
- [5] Bouton, Laurent and Gratton, Gabriele (2012). “Runoff Elections: Sincere Voting, Push-Over and the Vote Against.” *mimeo*, Boston University.
- [6] Bullock III, Charles and Johnson, Loch (1992). *Runoff Elections in the United States*. Chapel Hill: University of North Carolina Press.
- [7] Callander, Steven (2005). “Duverger’s Hypothesis, the Run-Off Rule, and Electoral Competition.” *Political Analysis*, 13, pp. 209-232.
- [8] Clark, William and Golder, Matt (2006). “Rehabilitating Duverger’s Theory: Testing the Mechanical and Strategic Modifying Effects of Electoral Laws.” *Comparative Political Studies*, 39(6), pp. 679-708.
- [9] Cox, Gary (1997). *Making Votes Count*. Cambridge, UK: Cambridge University Press.

- [10] De Sinopoli F. (2000) “Sophisticated voting and equilibrium refinements under plurality rule.” *Social Choice and Welfare*, 17, pp. 655-672
- [11] Dewan, Torun and Myatt, David (2007) “Leading the Party: Coordination, Direction, and Communication.” *American Political Science Review*, 101 (4), pp. 825-843.
- [12] Duverger, Maurice (1954). *Political Parties*. New York: John Wiley & Sons.
- [13] Engstrom, Richard L. and Engstrom, Richard N. (2008). “The Majority Vote Rule and Runoff Primaries in the United States.” *Electoral Studies*, 27 (3), pp. 407-416.
- [14] Fey, Mark (1997). “Stability and Coordination in Duverger’s Law: A Formal Model of Pre-Election Polls and Strategic Voting.” *American Political Science Review*, 91, pp. 135-147.
- [15] Fujiwara, Thomas (2011). “A Regression Discontinuity Test of Strategic Voting and Duverger’s Law.” *Quarterly Journal of Political Science*, 6, pp. 197-233.
- [16] Ghosh, Sambuddha and Tripathi, Vinayak (2012), Ideologues, Idealists, and the Inflexibility of Groups, *American Economic Journal: Microeconomics*, forthcoming.
- [17] Golder, Matt (2005). “Democratic Electoral Systems Around the World, 1946-2000.” *Electoral Studies*, 24, pp.103-121.
- [18] Golder, Matt (2006). “Presidential Coattails and Legislative Fragmentation.” *American Journal of Political Science*, 50(1), pp. 34-48.
- [19] Goncalves, Carlos Eduardo, Madeira, Ricardo and Rodrigues, Mauro (2008). “Two-Ballot Versus Plurality Rule: An Empirical Investigation on the Number of Candidates.” *mimeo*, University of Sao Paulo.
- [20] Lean, Sharon (2007). “The Presidential and Parliamentary elections in Nicaragua, November 2006.” *Electoral Studies*, 26 (4), pp. 828-832.
- [21] Martinelli, Cesar (2002). “Simple Plurality Versus Plurality Runoff with Privately Informed Voters.” *Social Choice and Welfare*, 19, pp. 901-919.

- [22] Morton, Rebecca and Rietz, Thomas (2006). "Majority Requirements and Voter Coordination." *New York University Annual Survey of American Law*, 63(4), pp. 691-726.
- [23] Myatt, David (2007). "On the Theory of Strategic Voting." *Review of Economic Studies*, 74(1), pp. 255-281.
- [24] Myerson, Roger (1998). "Population Uncertainty and Poisson Games." *International Journal of Game Theory*, 27, pp. 375-392.
- [25] Myerson, Roger (2000). "Large Poisson Games." *Journal of Economic Theory*, 94, pp. 7-45.
- [26] Myerson, Roger (2002). "Comparison of Scoring Rules in Poisson Voting Games." *Journal of Economic Theory*, 103, pp. 219-251.
- [27] Myerson, Roger and Weber, Robert (1993). "A Theory of Voting Equilibria." *American Political Science Review*, 87, pp. 102-114.
- [28] Okada, Akira (1981). "On stability of perfect equilibrium points," *International Journal of Game Theory*, 10, pp. 67-73.
- [29] O'neil, Jeffrey (2007). "Choosing a Runoff Election Threshold." *Public Choice* 131, pp. 351-364.
- [30] Osborne, Martin and Slivinski, Al (1996). "A Model of Political Competition with Citizen-Candidates." *Quarterly Journal of Economics*, 111, pp. 65-96.
- [31] Palfrey, Thomas and Rosenthal, Howard (1991). "Testing Game-Theoretic Models of Free Riding: New Evidence on Probability Bias and Learning." In *Laboratory Research in Political Economy*, ed. Thomas Palfrey, Ann Arbor: University of Michigan Press. pp. 239-268.
- [32] Piketty, Thomas (2000). "Voting as Communicating." *Review of Economic Studies*, 67, pp. 169-191.

- [33] Riker, William (1982). “The Two-Party System and Duverger’s Law: An Essay on the History of Political Science.” *American Political Science Review*, 84, PP. 1077-1101.
- [34] Shugart, Matthew, and Taagepera, Rein (1994). “Plurality versus Majority Election of Presidents: A Proposal for a "Double Complement Rule".” *Comparative Political Studies*, 27, pp. 323-348.
- [35] Wright, Stephen (1989). “Voter Turnout in Runoff Elections.” *Journal of Politics*, 51, pp. 385-396.
- [36] Wright, Stephen and Riker, William (1989). “Plurality and Runoff Systems and Numbers of Candidates.” *Public Choice*, 60(2), pp. 155-175.

## Appendices

Appendix A1 provides a reminder of some fundamental properties of Poisson games (Myerson 2000 and 2002). Appendix A2 demonstrates the claims made in Section 4 .

### Appendix A1: Large Poisson Games in Runoff Elections

In a Poisson game, population size follows a Poisson distribution of mean  $n$ . Since types are attributed by i.i.d. draws, the number of voters of each type also follows a Poisson distribution of mean  $n r(t)$ , and, as shown by Myerson (2000), the number of  $\psi$ -votes in round  $\rho$  follows a Poisson distribution of mean  $n \tau_\psi^\rho$ :

$$\Pr(x_\psi^\rho) = \exp(-\tau_\psi^\rho n) \frac{(\tau_\psi^\rho n)^{x_\psi^\rho}}{x_\psi^\rho!}. \quad (14)$$

The *action profile* of a group of players is the vector that lists, for each action  $\psi$ , the number of players in the group who are choosing action  $c$ . I denote by  $x^\rho$  an action profile in round  $\rho$ . The set of possible action profiles for the players in round  $\rho$  is  $Z(\Psi^\rho)$ , i.e.  $Z(\Psi^\rho)$  is the set of vectors  $x^\rho = \{x_\psi^\rho\}_{\psi \in \Psi^\rho}$ . From (14), the probability that the action profile is  $x^\rho$  is:

$$\Pr(x^\rho) = \prod_{\psi \in \Psi^\rho} \left( \frac{\exp(-\tau_\psi^\rho n) (\tau_\psi^\rho n)^{x_\psi^\rho}}{x_\psi^\rho!} \right). \quad (15)$$

An event  $E^\rho$  in round  $\rho$  is a set of action profiles that satisfy given constraints, i.e. it is a subset of  $Z(\Psi^\rho)$ . As shown by Myerson (2000, Theorem 1), it follows from (15) that:

**Property 1** For a large population of size  $n$ , the probability of an event  $E^\rho$  is such that

$$\text{mag}(E^\rho) \equiv \lim_{n \rightarrow \infty} \frac{\log[\Pr(E^\rho)]}{n} = \max_{x^\rho \in E} \sum_{\psi} \frac{x_{\psi}^{\rho}}{n} \left( 1 - \log\left(\frac{x_{\psi}^{\rho}}{n\tau_{\psi}^{\rho}}\right) \right) - 1.$$

That is, the probability that event  $E^\rho$  occurs is exponentially decreasing in  $n$ .  $\text{mag}(E^\rho) \in [-1, 0]$  is called the magnitude of event  $E^\rho$ . Its absolute value represents the “speed” at which the probability decreases towards 0: the more negative is the magnitude, the faster the probability goes to 0.

Myerson (2000, Corollary 1) shows that:

**Property 2** Compare two events with different magnitudes:  $\text{mag}(E^\rho) < \text{mag}(E^{\rho'})$ . Then, the probability ratio of the former over the latter event goes to zero as  $n$  increases:

$$\text{mag}(E^\rho) < \text{mag}(E^{\rho'}) \implies \frac{\Pr(E^\rho)}{\Pr(E^{\rho'})} \xrightarrow{n \rightarrow \infty} 0.$$

Together, Properties 1 and 2 have been called the *magnitude theorem* by Myerson (2000). The intuition is that the probabilities of different events do not converge towards zero at the same speed. Hence, unless two events have the same magnitude, their likelihood ratio converges either to zero or to infinity when the electorate grows large.<sup>47</sup> Proofs in this paper rely extensively on these two properties.

Using Property 1 (and Theorem 2, Myerson 2000<sup>48</sup>), I can prove the two following Lemma.

**Lemma 2** The magnitudes of the second-round pivot probabilities  $PQ$  and  $QP$  are:

$$\text{mag}(\text{piv}_{PQ}^2) = \text{mag}(\text{piv}_{QP}^2) = - \left( \sqrt{\tau_P^2} - \sqrt{\tau_Q^2} \right)^2.$$

**Proof.** As detailed in Property 1, the magnitude of the event that candidates  $P$  and  $Q$  have exactly the same number of vote is:

$$\lim_{n \rightarrow \infty} \frac{\log[\Pr(x_P^2 = x_Q^2)]}{n} = \max_{x^2} \sum_{\psi} \frac{x_{\psi}^2}{n} \left( 1 - \log \frac{x_{\psi}^2}{n\tau_{\psi}^2} \right) - 1 \quad (16)$$

*s.t.*  $x_P^2 = x_Q^2$

If we denote  $x_P^2 = x_Q^2 = x$ , we find that this is maximized in  $x^* = n\sqrt{\tau_P^2\tau_Q^2}$ . Substituting for  $x^*$  in (16) thus yields:

$$\lim_{n \rightarrow \infty} \frac{\log[\Pr(x_P^2 = x_Q^2)]}{n} = - \left( \sqrt{\tau_P^2} - \sqrt{\tau_Q^2} \right)^2.$$

The event that candidates  $P$  and  $Q$  have exactly the same number of vote is the pivotability  $QP$ , i.e.  $\text{piv}_{QP}^2$ . The event that candidate  $P$  trails behind candidate  $Q$  by exactly one vote is the pivotability  $PQ$ ,

---

<sup>47</sup>These properties are quite general and not specific to the Poisson distribution. This is the reason why most of the results extend directly to the multinomial distribution.

<sup>48</sup>Theorem 2 in Myerson 2000 shows that two events that differ only by a small number of votes, as do  $\text{piv}_{PQ}^2$  and  $\text{piv}_{QP}^2$ , have the same magnitude.

i.e.  $piv_{PQ}^2$ . (Notice the difference between  $piv_{PQ}^2$  and  $piv_{QP}^2$  which follows from the alphabetical order tie breaking rule.)

From Myerson (2000, Theorem 2), we have that  $mag(piv_{PQ}^2)$  and  $mag(piv_{QP}^2)$  are equal:

$$\lim_{n \rightarrow \infty} \frac{\log[\Pr(x_P^2 = x_Q^2 - 1)]}{n} = \lim_{n \rightarrow \infty} \frac{\log[\Pr(x_P^2 = x_Q^2)]}{n}.$$

■

Lemma 2 reformulates a known result for two-candidate elections (as is the second round): the larger the difference in the expected vote shares of the two candidates, the smaller the magnitude of the pivot probability. The intuition is straightforward: for a ballot to be pivotal, candidates have to receive (almost) the same number of votes. This is more likely to happen if the second round is expected to be close.

**Lemma 3** *The magnitudes of the first-round pivot probabilities are:*

(a) *Threshold pivot probability i/ij and ij/i:*

$$mag(piv_{i/ij}^1) = mag(piv_{ij/i}^1) = \begin{cases} \left(\frac{\tau_j^1 + \tau_k^1}{1 - \zeta}\right)^{1 - \zeta} \left(\frac{\tau_i^1}{\zeta}\right)^\zeta - 1 & \text{if } \frac{\zeta}{1 - \zeta} \geq \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} \geq \frac{1}{2} \\ \left(\frac{\sqrt{\tau_i^1 \tau_j^1}}{\zeta}\right)^{2\zeta} \left(\frac{\tau_k^1}{1 - 2\zeta}\right)^{1 - 2\zeta} - 1 & \text{if } \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} > \frac{\zeta}{1 - \zeta} \geq \frac{1}{2} \\ \left(\frac{2\sqrt{\tau_j^1 \tau_k^1}}{1 - \zeta}\right)^{1 - \zeta} \left(\frac{\tau_i^1}{\zeta}\right)^\zeta - 1 & \text{if } \frac{\zeta}{1 - \zeta} \geq \frac{1}{2} > \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} \end{cases} \quad (17)$$

(b) *Above-threshold pivot probability i/j and j/i (for  $\zeta < 1/2$ ):*

$$mag(piv_{i/j}^1) = mag(piv_{j/i}^1) = \begin{cases} -\left(\sqrt{\tau_i^1} - \sqrt{\tau_j^1}\right)^2 & \text{if } \sqrt{\tau_i^1 \tau_j^1} \geq \tau_k^1 \frac{\zeta}{1 - 2\zeta} \\ \left(\frac{\sqrt{\tau_i^1 \tau_j^1}}{\zeta}\right)^{2\zeta} \left(\frac{\tau_k^1}{1 - 2\zeta}\right)^{1 - 2\zeta} - 1 & \text{if } \tau_k^1 \frac{\zeta}{1 - 2\zeta} > \sqrt{\tau_i^1 \tau_j^1} \end{cases} \quad (18)$$

(c) *Second-rank pivot probability ki/kj and kj/ki:*

$$mag(piv_{ki/kj}^1) = mag(piv_{kj/ki}^1) = \begin{cases} -\left(\sqrt{\tau_i^1} - \sqrt{\tau_j^1}\right)^2 & \text{if } 2\frac{\zeta}{1 - \zeta} \sqrt{\tau_i^1 \tau_j^1} > \tau_k^1 > \sqrt{\tau_i^1 \tau_j^1} \\ \left(\frac{2\sqrt{\tau_i^1 \tau_j^1}}{1 - \zeta}\right)^{1 - \zeta} \left(\frac{\tau_k^1}{\zeta}\right)^\zeta - 1 & \text{if } \tau_k^1 \geq 2\frac{\zeta}{1 - \zeta} \sqrt{\tau_i^1 \tau_j^1} > \sqrt{\tau_i^1 \tau_j^1} \\ 3\left(\tau_i^1 \tau_j^1 \tau_k^1\right)^{\frac{1}{3}} - 1 & \text{if } 2\frac{\zeta}{1 - \zeta} \sqrt{\tau_i^1 \tau_j^1} > \sqrt{\tau_i^1 \tau_j^1} \geq \tau_k^1 \end{cases} \quad (19)$$

**Proof.** There are three types of magnitudes to compute. I only present the details for the magnitude of the threshold pivot probabilities  $i/ij$  and  $ij/i$ . The other cases are derived in a similar fashion (and available upon request).

A ballot is threshold pivotal  $i/ij$  when  $x_i^1 + 1 - \zeta > \zeta(x_i^1 + x_j^1 + x_k^1) \geq x_i^1 \geq x_j^1 \geq x_k^1$ . From Myerson (2000, Theorem 2), I know that I can focus on the case  $\zeta(x_i^1 + x_j^1 + x_k^1) = x_i^1 \geq x_j^1 \geq x_k^1$  without loss of

generality. Applying Property 1, I have:

$$\text{mag}(\text{piv}_{i/ij}^1) = \max_x \sum_{\psi} \frac{x_{\psi}^1}{n} \left( 1 - \log\left(\frac{x_{\psi}^1}{n\tau_{\psi}^1}\right) \right) - 1 \quad (20)$$

$$\text{s.t.} \quad \begin{cases} x_i^1 = \zeta (x_i^1 + x_j^1 + x_k^1) \\ x_i^1 \geq x_j^1 \geq x_k^1 \end{cases} \quad (21)$$

If I denote  $x_j^1 + x_k^1 = x_{i/ij}^1$ ,  $x_j^1 = \alpha_{i/ij} x_{i/ij}^1$ , and  $x_k^1 = (1 - \alpha_{i/ij}) x_{i/ij}^1$ , and if I abstract from the second constraint in (21) (or if it is not binding), I find that this is maximized in

$$\begin{aligned} x_{i/ij}^{1*} &= \left( \frac{(1-\zeta)\tau_i^1}{\zeta} \right)^{\zeta} \left( \frac{\tau_j^1}{\alpha_{i/ij}} \right)^{\alpha_{i/ij}} \left( \frac{\tau_k^1}{1-\alpha_{i/ij}} \right)^{1-\alpha_{i/ij}}, \\ \alpha_{i/ij}^* &= \frac{\tau_j^1}{\tau_k^1 + \tau_j^1}. \end{aligned}$$

Substituting for  $x_{i/ij}^{1*}$  and  $\alpha_{i/ij}^*$  in (20) yields what I call the *unconstrained* magnitude (denoted by the superscript \*):

$$\text{mag}(\text{piv}_{i/ij}^{1,*}) = \left( \frac{\tau_j^1 + \tau_k^1}{1-\zeta} \right)^{1-\zeta} \left( \frac{\tau_i^1}{\zeta} \right)^{\zeta} - 1. \quad (22)$$

The magnitude of the threshold pivot probability  $i/ij$  is unconstrained if

$$\frac{\zeta}{1-\zeta} \geq \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} \geq \frac{1}{2}. \quad (23)$$

From (22) and (23), I have that

$$\text{mag}(\text{piv}_{i/ij}^1) = \text{mag}(\text{piv}_{i/ij}^{1,*}) \text{ if } \frac{\zeta}{1-\zeta} \geq \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} \geq \frac{1}{2}.$$

I still have to compute  $\text{mag}(\text{piv}_{i/ij}^1)$  when (23) is not satisfied. From  $\zeta \in [\frac{1}{3}, 1)$ , I have that  $\frac{\zeta}{1-\zeta} \geq \frac{1}{2}$  and then there are two other possible cases: (i)  $\frac{\tau_j^1}{\tau_j^1 + \tau_k^1} > \frac{\zeta}{1-\zeta} \geq \frac{1}{2}$ , and (ii)  $\frac{\zeta}{1-\zeta} \geq \frac{1}{2} > \frac{\tau_j^1}{\tau_j^1 + \tau_k^1}$ .

In case (i), the constraint  $x_i^1 \geq x_j^1$  is binding. I thus bind the constraint, i.e. set  $\alpha_{i/ij} = \frac{\zeta}{(1-\zeta)}$ , and maximize the same problem as in (20). This yields:

$$\text{mag}(\text{piv}_{i/ij}^1) = \left( \frac{\sqrt{\tau_i^1 \tau_j^1}}{\zeta} \right)^{2\zeta} \left( \frac{\tau_k^1}{1-2\zeta} \right)^{1-2\zeta} - 1 \text{ if } \frac{\tau_j^1}{\tau_j^1 + \tau_k^1} > \frac{\zeta}{1-\zeta} \geq \frac{1}{2}.$$

In case (ii), the constraint  $x_j^1 \geq x_k^1$  is binding. I thus bind the constraint, i.e. set  $\alpha_{i/ij} = 1/2$ , and maximize the same problem as in (20). This yields:

$$\text{mag}(\text{piv}_{i/ij}^1) = \left( \frac{2\sqrt{\tau_j^1 \tau_k^1}}{1-\zeta} \right)^{1-\zeta} \left( \frac{\tau_i^1}{\zeta} \right)^{\zeta} - 1 \text{ if } \frac{\zeta}{1-\zeta} \geq \frac{1}{2} > \frac{\tau_j^1}{\tau_j^1 + \tau_k^1}.$$

I have then proven that  $\text{mag}(\text{piv}_{i/ij}^1)$  is as defined in (17). From Myerson (2000, Theorem 2), I have that  $\text{mag}(\text{piv}_{i/ij}^1) = \text{mag}(\text{piv}_{i/ij}^1)$ . ■

Lemma 3 shows that the magnitude of a pivotal event  $piv$  is larger when the expected outcome of the first round,  $\tau^1$ , is close to the conditions necessary for event  $piv$  to occur. For instance, the pivotal event  $piv_{i/j}^1$  is more likely to occur when  $\zeta = \tau_i^1 > \tau_j^1 > \tau_k^1$  than when  $\zeta > \tau_k^1 > \tau_j^1 > \tau_i^1$ . Indeed, the occurrence of the pivotal event in the latter case requires a “larger deviation with respect to the expected outcome”.

## Appendix A2: Proofs for Section 4

**Proof of Theorem 1.** The proof is in three parts. I identify sufficient conditions for Duverger’s Law equilibria to exist when (i)  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ , (ii)  $\zeta = \frac{1}{2}$ , and (iii)  $\zeta \in [\frac{1}{2}, 1)$ . Since the proofs of existence of the two Duverger’s Law equilibria, i.e.  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  and  $\sigma^1(B|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , are similar, I only produce the proof for the case in which all majority voters vote for  $A$ .

A sufficient condition for the Duverger’s Law equilibrium  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  to exist is that  $\forall t \in \{t_{AB}, t_{BA}\}$

$$G^1(A|t)/G^1(B|t) \xrightarrow[n \rightarrow \infty]{} \infty \text{ and} \quad (24)$$

$$G^1(A|t)/G^1(C|t) \xrightarrow[n \rightarrow \infty]{} \infty. \quad (25)$$

**(i) Duverger’s Law equilibria when  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ :**

From (4) and Property 2, I have that a sufficient condition for (24) and (25) to be satisfied is

$$mag(piv_{A/C}^1) > mag(piv_{i/j}^1) \quad \forall \{i, j\} \neq \{A, C\} \text{ and } \{C, A\},$$

$$mag(piv_{A/C}^1) > mag(piv_{ki/kj}^1) \quad \forall i, j, k$$

$$mag(piv_{A/C}^1) > mag(piv_{ij}^1) \quad \forall i, j.$$

For  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , I have that  $\tau_A^1 = 1 - r(t''_{CA})$  and  $\tau_B^1 = 0$ . From Lemma 3, this implies that:

$$mag(piv_{A/C}^1) = mag(piv_{C/A}^1) = - \left( \sqrt{\tau_A^1} - \sqrt{\tau_C^1} \right)^2 = - \left( \sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})} \right)^2$$

is the only magnitude that can be larger than  $-1$ . Therefore, I have that (24) and (25) are both satisfied. This is true for any  $0 < r(t''_{CA}) < 1/2$ .

**(ii) Duverger’s Law equilibria when  $\zeta = \frac{1}{2}$ :**

For  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , I have  $\tau_A^1 = 1 - r(t''_{CA})$  and  $\tau_B^1 = 0$ . From Lemma 3, this implies that:

$$\begin{aligned} mag(piv_{A/AC}^1) = mag(piv_{AC/A}^1) &= \left( \frac{\tau_B^1 + \tau_C^1}{1 - \zeta} \right)^{1-\zeta} \left( \frac{\tau_A^1}{\zeta} \right)^\zeta - 1 = 2\sqrt{r(t''_{CA})}\sqrt{1 - r(t''_{CA})} - 1 \\ &= - \left( \sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})} \right)^2 \end{aligned}$$

is the only magnitude that can be larger than  $-1$ .<sup>49</sup> Recall that a ballot cannot be above-threshold pivotal when  $\zeta \geq \frac{1}{2}$ .

Nonetheless, (24) and (25) are not necessarily satisfied when  $\text{mag}(\text{piv}_{A/AC}^1)$  is the largest magnitude. Indeed, when threshold pivotal  $A/AC$ , the expected payoff of a type  $t$  voter is

$$[U(A|t) - U(A, C|t)] = \Pr(C|\{A, C\}) \xrightarrow{n \rightarrow \infty} 0.$$

If the second round opposes  $A$  to  $C$ , and  $A$  wins that round, then being first-round pivotal has no value. This is why being first-round pivotal is only valuable with probability  $\Pr(C|\{A, C\})$ .

Since the magnitude of all pivot probabilities other than  $\text{piv}_{A/AC}^1$  are equal to  $-1$ , a sufficient condition for (24) and (25) to be satisfied is

$$\text{mag}(\text{piv}_{A/AC}^1 \cdot \Pr(C|\{A, C\})) > -1.$$

Since the distribution of  $A$  and  $C$  votes are identical in the first and second round, I have that:

$$\Pr(C|\{A, C\}) \geq \Pr(\text{piv}_{A/AC}^1)$$

and then that

$$\text{mag}(\text{piv}_{A/AC}^1 \cdot \Pr(C|\{A, C\})) \geq 2\text{mag}(\text{piv}_{A/AC}^1).$$

Therefore, no voter deviates from  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  if:

$$2\text{mag}(\text{piv}_{A/AC}^1) > -1.$$

From  $\text{mag}(\text{piv}_{A/AC}^1) = -(\sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})})^2$ , this condition boils down to:

$$\sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})} < \sqrt{1/2},$$

or:  $r(t''_{CA}) > 0.06699$ .

**(iii) Duverger's Law equilibria when  $\zeta \in (\frac{1}{2}, 1)$ :**

For  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , I have  $\tau_A^1 = 1 - r(t''_{CA})$  and  $\tau_B^1 = 0$ . From Lemma 3 this implies that:

$$\begin{aligned} \text{mag}(\text{piv}_{A/AC}^1) &= \text{mag}(\text{piv}_{AC/A}^1) = \left(\frac{\tau_B^1 + \tau_C^1}{1 - \zeta}\right)^{1-\zeta} \left(\frac{\tau_A^1}{\zeta}\right)^\zeta - 1 \\ &= \left(\frac{r(t''_{CA})}{1 - \zeta}\right)^{1-\zeta} \left(\frac{1 - r(t''_{CA})}{\zeta}\right)^\zeta - 1 \end{aligned} \quad (26)$$

is the only magnitude that can be larger than  $-1$ .<sup>50</sup> Recall that a ballot cannot be above the threshold pivotal when  $\zeta \geq \frac{1}{2}$ .

---

<sup>49</sup>Note that  $\text{mag}(\text{piv}_{C/CA}^1) = \text{mag}(\text{piv}_{CA/C}^1) > -1$  but this has no influence on the choice of whether voting for  $A$  or  $B$  for  $t_{AB}$  and  $t_{BA}$  voters.

<sup>50</sup>Again,  $\text{mag}(\text{piv}_{C/CA}^1) = \text{mag}(\text{piv}_{CA/C}^1) > -1$  but this has no influence.

As in point (ii), since the magnitude of all pivot probabilities other than  $piv_{A/AC}^1$  are equal to minus one, a sufficient condition for  $\sigma^1(A|t_{AB}) = \sigma^1(A|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  to be an equilibrium is that

$$mag(\Pr(C|\{A, C\})) + mag(piv_{A/AC}^1) > -1.$$

From (26) and knowing that  $mag(\Pr(C|\{A, C\})) \geq 2\sqrt{(1-r(t''_{CA}))r(t''_{CA})} - 1$ , this condition is satisfied when:

$$2\sqrt{(1-r(t''_{CA}))r(t''_{CA})} + \left(\frac{r(t''_{CA})}{1-\zeta}\right)^{1-\zeta} \left(\frac{1-r(t''_{CA})}{\zeta}\right)^\zeta \geq 1. \quad (27)$$

Knowing that

$$\frac{\partial \left( \left( \frac{1-r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{r(t''_{CA})}{\zeta} \right)^\zeta \right)}{\partial \zeta} = \left( \frac{r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{1-r(t''_{CA})}{\zeta} \right)^\zeta \log \left( \frac{1-\zeta}{\zeta} \frac{r(t''_{CA})}{1-r(t''_{CA})} \right)$$

I have that

$$\begin{aligned} \frac{\partial \left( \left( \frac{1-r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{r(t''_{CA})}{\zeta} \right)^\zeta \right)}{\partial \zeta} &> 0 \text{ if } \zeta < 1 - r(t''_{CA}), \\ &= 0 \text{ if } \zeta = 1 - r(t''_{CA}), \\ &< 0 \text{ if } \zeta > 1 - r(t''_{CA}), \end{aligned}$$

and then that

$$\min_{\zeta} \left( \frac{r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{1-r(t''_{CA})}{\zeta} \right)^\zeta > \min \left\{ \underbrace{2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}}_{\text{for } \zeta=1/2}, \underbrace{1-r(t''_{CA})}_{\text{for } \zeta=1} \right\}.$$

There are then two cases to consider: (i)  $2\sqrt{(1-r(t''_{CA}))r(t''_{CA})} < 1-r(t''_{CA})$  and (ii)  $2\sqrt{(1-r(t''_{CA}))r(t''_{CA})} \geq 1-r(t''_{CA})$ . In case (i) I have that  $\min \{2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}, 1-r(t''_{CA})\} = 2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}$  and then that

$$\left( \frac{1-r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{r(t''_{CA})}{\zeta} \right)^\zeta > 2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}. \quad (28)$$

Knowing that if  $r(t''_{CA}) > 0.06699$ , then  $2\sqrt{(1-r(t''_{CA}))r(t''_{CA})} > \frac{1}{2}$ , I have from (28) that  $\exists z < 0.06699$  such that if  $r(t''_{CA}) > z$  then (27) is satisfied. In case (ii) I have that  $\min \{2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}, 1-r(t''_{CA})\} = 1-r(t''_{CA})$ . Since  $(1-r(t''_{CA})) > \frac{1}{2}$ , both  $\left( \frac{1-r(t''_{CA})}{1-\zeta} \right)^{1-\zeta} \left( \frac{r(t''_{CA})}{\zeta} \right)^\zeta$  and  $2\sqrt{(1-r(t''_{CA}))r(t''_{CA})}$  are larger than  $\frac{1}{2}$ . Therefore, (27) is always strictly satisfied. ■

**Proof of Theorem 2.** The proof is in two parts: (i) I show that the sincere voting equilibrium may exist, and (ii) that it does not always exist. The second part relies extensively on the proof of Theorem 1 and the continuity of magnitudes in the expected vote shares.

**(i) Existence of the sincere voting equilibrium:**

For  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , I have from Lemma 3 that  $mag(piv_{CA/CB}^1) = 0$  when  $r(t_{AB}) = r(t_{BA}) < r(t''_{CA}) \leq \zeta$ . From Property 1, I know that the magnitude of any event  $E^1$  is

bounded by  $-1$  and  $0$ :  $\text{mag}(E^1) \in [-1, 0] \forall E^1$ . Together with  $\Pr(A|\{A, C\}) = \Pr(B|\{B, C\}) \xrightarrow{n \rightarrow \infty} 1$ , (4) and Property 2,  $\text{mag}(\text{piv}_{CA/CB}^1) = 0$  thus implies that there is an  $n$  sufficiently large such that  $G^1(A|t_{AB}) - G^1(B|t_{AB}) > 0 > G^1(A|t_{BA}) - G^1(B|t_{BA})$ . Since  $t''_{CA}$ -voters always vote for  $C$  in the first round, we have that  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  is an equilibrium. From the continuity of the magnitudes in the expected vote shares, I have that the sincere voting equilibrium is not non-generic, i.e.  $\exists \varepsilon_1, \varepsilon_3 > 0$  such that  $\forall r(t_{AB}) \in (r(t_{BA}) - \varepsilon_1, r(t_{BA}) + \varepsilon_1)$  and  $r(t''_{CA}) \in (\zeta - \varepsilon_3, \zeta + \varepsilon_3)$ ,  $\text{mag}(\text{piv}_{CA/CB}^1)$  is the largest magnitudes.

**(ii) Non-existence of the sincere voting equilibrium:**

I have to consider three cases:  $\zeta \in [\frac{1}{3}, \frac{1}{2})$ ,  $\zeta = \frac{1}{2}$ , and  $\zeta \in (\frac{1}{2}, 1)$ . I only present the details of the case  $\zeta = \frac{1}{2}$ . The other cases can be proven in a similar fashion.

First, observe that if (24) and (25) in the proof of Theorem 1 are satisfied when  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , then the sincere voting equilibrium is not an equilibrium since types  $t_{BA}$  prefer to vote for  $A$ .

Second, from the proof of Theorem 1, we know that for  $\tau_A^1 = 1 - r(t''_{CA})$  and  $\tau_B^1 = 0$ , the only magnitude larger than  $-1$  is:<sup>51</sup>

$$\text{mag}(\text{piv}_{A/AC}^1) = \text{mag}(\text{piv}_{AC/A}^1) = - \left( \sqrt{\tau_A^1} - \sqrt{\tau_C^1} \right)^2 = - \left( \sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})} \right)^2.$$

Remind that a ballot cannot be above-threshold pivotal when  $\zeta \geq \frac{1}{2}$ .

Third, when voters are sincere (i.e.  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ ), this profile of  $\tau$  arises if  $r(t_{BA}) = 0$  and  $r(t''_{CA}) \in (0, 1/2)$ . Therefore, by the continuity of the magnitudes in the expected vote shares, we know that there is  $\varepsilon_2 > 0$  such that if  $r(t_{BA}) = \varepsilon_2$  and  $r(t_{AB}) = 1 - r(t''_{CA}) - \varepsilon_2$ , then  $\text{mag}(\text{piv}_{A/AC}^1)$  is still the largest magnitude (and arbitrarily close to  $-(\sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})})^2$ ). We can thus apply the same steps as in the proof of Theorem 1 to show that a sufficient condition for (24) and (25) to be satisfied is

$$\sqrt{1 - r(t''_{CA})} - \sqrt{r(t''_{CA})} < \sqrt{1/2},$$

or:  $r(t''_{CA}) > 0.06699$ .

This proves that the sincere voting does not exist if both  $r(t_{BA}) < \varepsilon_2$  and the conditions for the existence of Duverger's Law equilibria are satisfied. ■

**Proof of Theorem 3.** First, I show that  $\text{mag}(\text{piv}_{CA/CB}^1) = 0$  when  $\tau_A^1 = \tau_B^1 < \tau_C^1 = \zeta$ , where  $\zeta \in (\frac{1}{3}, \frac{1}{2})$ . Second, I show that  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  are equilibrium strategies when  $r(t_{AB}) = r(t_{BA})$ ,  $r(t''_{CA}) = \zeta$  and  $\frac{r(t_{AB}) + r(t_{BA})}{2} < \zeta$ . Third, I show that there always exist  $\varepsilon_1, \varepsilon_2 > 0$  such that, if  $r(t_{AB}) - r(t_{BA}) < \varepsilon_1$  and  $\zeta < \tau_C < \zeta + \varepsilon_2$  then  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  is an equilibrium.

---

<sup>51</sup>Again,  $\text{mag}(\text{piv}_{C/CA}^1) = \text{mag}(\text{piv}_{CA/C}^1) > -1$  but this has no influence.

From  $\tau_C^1 = \zeta > \tau_A^1 = \tau_B^1$ , I have that  $\tau_C^1 \geq 2 \frac{\zeta}{1-\zeta} \sqrt{\tau_A^1 \tau_B^1} \geq \sqrt{\tau_A^1 \tau_B^1}$ . From this and Lemma 3, I have:

$$\begin{aligned} \text{mag}(\text{piv}_{CA/CB}^1) &= \left( \frac{2\sqrt{\tau_A^1 \tau_B^1}}{1-\zeta} \right)^{1-\zeta} \left( \frac{\tau_C^1}{\zeta} \right)^\zeta - 1 \\ &= \left( \frac{1-\tau_C^1}{1-\zeta} \right)^{1-\zeta} \left( \frac{\tau_C^1}{\zeta} \right)^\zeta - 1 = 0. \end{aligned}$$

For  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$ , I have  $\tau_A^1 = r(t_{AB})$ ,  $\tau_B^1 = r(t_{BA})$  and  $\tau_C^1 = r(t''_{CA})$ . Thus,  $\text{mag}(\text{piv}_{CA/CB}^1) = 0$  if

$$\begin{aligned} r(t_{AB}) &= r(t_{BA}), \\ r(t''_{CA}) &= \zeta, \text{ and} \\ \frac{r(t_{AB}) + r(t_{BA})}{2} &< \zeta. \end{aligned} \tag{29}$$

From Property 1, I know that the magnitude of any event  $E^1$  is bounded by  $-1$  and  $0$ :  $\text{mag}(E^1) \in [-1, 0] \forall E^1$ . Therefore,  $\text{mag}(\text{piv}_{CA/CB}^1)$  is the largest magnitude when conditions in (29) are satisfied except if there are other magnitudes that equal 0. From Lemma 3, it can be checked easily (but tediously) that this is the case for two other magnitudes:  $\text{mag}(\text{piv}_{C \setminus CA}^1) = 0$  and  $\text{mag}(\text{piv}_{C \setminus CB}^1) = 0$ . Nonetheless, from (4) I have that neither  $\Pr(\text{piv}_{C \setminus CA}^1)$  nor  $\Pr(\text{piv}_{C \setminus CB}^1)$  influence types- $t_{AB}$  and  $-t_{BA}$  choice between  $A$  and  $B$ . Therefore, sincere voting is an equilibrium when conditions in (29) are satisfied. Types- $t''_{CA}$  always prefer to vote for  $C$ .

Since all magnitudes are continuous in  $\tau_A^1$ ,  $\tau_B^1$  and  $\tau_C^1$ , there always exist  $\varepsilon_1, \varepsilon_2 > 0$  such that, if  $r(t_{AB}) - r(t_{BA}) < \varepsilon_1$  and  $\zeta < \tau_C < \zeta + \varepsilon_2$  then  $\sigma^1(A|t_{AB}) = \sigma^1(B|t_{BA}) = \sigma^1(C|t''_{CA}) = 1$  are equilibrium strategies for which  $C$  wins outright in the first round with a probability that tends to 1 as  $n \rightarrow \infty$ . ■

**Proof of Lemma 1.** I only show the proof for  $\zeta = 0.5$ . The other cases follow directly from the detailed case and the proof of Theorem 1.

Assume, without loss of generality, that  $B$  is the Condorcet winner, i.e.

$$\begin{aligned} B \text{ vs. } A &: r(t_{BC}) + r(t_{BA}) + r(t_{CB}) + r(t'_{BC}) > \\ & r(t_{AB}) + r(t_{AC}) + r(t_{CA}) + r(t'_{AC}), \\ B \text{ vs. } C &: r(t_{BC}) + r(t_{BA}) + r(t_{AB}) + r(t'_{AB}) > \\ & r(t_{CB}) + r(t_{AC}) + r(t_{CA}) + r(t'_{AC}) + r(t''_{CA}), \end{aligned} \tag{30}$$

and that  $C$  is the least popular candidate among  $A$  and  $C$ :

$$\begin{aligned} r(t_{AB}) + r(t_{AC}) + r(t_{BA}) + r(t'_{AB}) &> \\ r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC}). \end{aligned} \tag{31}$$

Suppose that all voters who (weakly) prefer  $A$  to  $C$ , i.e.  $t_{AB}, t_{AC}, t_{BA}, t'_{AB}, t'_{AC}$ , vote  $A$ , and all voters who (strictly) prefer  $C$  to  $A$ , i.e.  $t_{BC}, t_{CA}, t_{CB}, t'_{BC}, t''_{CA}$ , vote  $C$ .<sup>52</sup> Then, since  $\tau_C^1 \in (0, \frac{1}{2})$ , I have from Lemma 3 that

$$\text{mag}\left(\text{piv}_{A/AC}^1\right) = 2\sqrt{\tau_A^1 \tau_C^1} - 1 = \text{mag}\left(\text{piv}_{C/CA}^1\right)$$

are the only magnitudes that can be larger than  $-1$ .

From (4), a sufficient condition for this strategy profile to be an equilibrium is that

$$\text{mag}(\text{piv}_{A/AC}^1 \cdot \Pr(C|\{A, C\})) > -1, \text{ and} \quad (32)$$

$$\text{mag}(\text{piv}_{C/CA}^1 \cdot \Pr(A|\{A, C\})) > -1, \quad (33)$$

are simultaneously satisfied. Condition (32) ensures that all voters who prefer  $A$  to  $C$  vote for  $A$  and condition (33) ensures that all voters who prefer  $C$  to  $A$  vote for  $C$ . Since  $\tau_A^1 = \tau_A^2 = r(t_{AB}) + r(t_{AC}) + r(t_{BA}) + r(t'_{AB}) + r(t'_{AC})$  and  $\tau_C^1 = \tau_C^2 = r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC})$ , I know from the proof of Theorem 1 that a sufficient condition for (32) and (33) to be satisfied is:

$$\sqrt{1 - (r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC}) + r(t''_{CA}))} - \sqrt{r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC}) + r(t''_{CA})} < \sqrt{1/2}.$$

This boils down to:  $r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC}) + r(t''_{CA}) > 0.06699$ .

Finally,  $r(t_{BC}) + r(t_{CA}) + r(t_{CB}) + r(t'_{BC}) + r(t''_{CA}) > 0.06699$  is compatible with (30) and (31). Thus, there may exist a Duverger's Law equilibrium in which the Condorcet winner does not receive any votes. ■

---

<sup>52</sup>Note that the same result could be proven for any strategy of types  $t'_{AC}$  not including  $B$ .